

Deque Systems Inc. Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version:

Deque University

Report Date:

July 2nd 2025

Product Description:

Deque University offers training and on-demand reference materials for every level and every area of expertise in digital accessibility. Deque University Courses offer various courses on digital accessibility and Deque products. ARIA Examples draws on the principles taught in the course Custom JavaScript/ARIA Widgets.

Contact information:

Deque Systems,
info@deque.com

Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed in May to June of 2025.

Evaluation Methods Used:

A combination of automated and manual testing techniques was employed for the accessibility assessment

- Manual assessment was performed using Chrome v138.0.7204.50 on Windows 11 and included exclusive use of the keyboard.
- Automated tools used included axe Auditor and the axe DevTools browser extension using axe-core version 4.10.0.
- Assistive technologies employed included NVDA v.2024.4.2.

Scope of Evaluation

The following pages were evaluated as part of the assessment on which this report is based:

Public pages:

- Home Page
- Contact Us Page
- Full Access Curriculum Features
- Purchase Orders
- Online Self-Paced Web and Digital Accessibility Courses
- Online Self-Paced Web Accessibility Classes
- Instructor-Led Web Accessibility Training
- Deque Product Training
- Accessibility Resources and Code Examples
- Screen Reader Keyboard Shortcuts and Gestures
- Disability Statistics
- axe 4.3 Rules
- axe rule help
- Release Notes for Deque University Courses
- Site Map

- Deque University Terms of Use
- Web Accessibility Classes and Workshops
- New Success Criteria in WCAG 2.1
- New SC Details - 2.1.4 Character Key Shortcuts
- Video Tutorials - Page Title
- Desktop Screen Readers Survival Guide - Basic Keyboard Shortcuts
- NVDA Keyboard Shortcuts
- Enabling Keyboard Accessibility on a Mac
- Using Windows Screen Readers on a Mac
- Deque Color Contrast Analyzer
- HTML Validator
- Axe HTML 4.5 rules
- Library
- axe Assistant (beta)
- Web Accessibility Checklist
- Axe Assistant Privacy and Terms of Use and Limitations of Liability

ARIA Component Library:

- Accordion (Multiselect)
- Accordion (Tabbed)
- alert
- Button
- Button-toggle
- carousel
- Checkbox-single
- Checkbox (Tri-State)
- Date-picker
- Dialog
- Dialog (Alert Dialog)
- Expand/Collapse
- expand-collapse-summary

- Link
- Live Region Playground
- Navigation (Hierarchical) with Expand/Collapse
- Predictive Text
- Progress Bar (Bounded)
- Progress Bar (Unbounded)
- Radio and Radio Group
- Shopping Cart
- Slider
- Slider (Multirange)
- Table (Responsive, Collapsible)
- Table (Sortable)
- Tab panel
- Tooltip
- Tooltip Dialog
- Tree View

Course Pages:

- Course Template - TOC
- QUIZ
- Member page
- Search Results

In addition to the pages listed above, the following components that appear on multiple pages were tested as part of the assessment:

- Header
- Footer
- Cookie overlay
- Code

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.1.1.1 (Web)• 10.1.1.1 (Non-web document)• 11.1.1.1.1 (Open Functionality Software)• 11.1.1.1.2 (Closed Functionality Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs)	Web: Partially Supports	Web: Most non-text content has text alternatives or a text alternate that serves an equivalent purpose. The following exceptions exist: <ul style="list-style-type: none">• Text alternative for the informative image is missing. This occurs on the following page: axe adviser.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports (Not Applicable)</p>	<p>Web: Prerecorded audio-only and/or video-only files are not present in Deque University site.</p>
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: Prerecorded multimedia files have text-based synchronized captions in Deque University site.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Prerecorded multimedia files containing essential information that is only conveyed visually have either a full-text alternative describing the important visual details or an audio description track.
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Partially Supports	<p>Web: Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. The following exceptions exist:</p> <ul style="list-style-type: none"> • A block of text is marked up as a heading but is not a heading, so the structure of the content is misrepresented to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following page: carousel. • Data is arranged visually like a data table, but the programmatic table header markup is missing or incomplete. People who are blind and/or use a screen reader will not be aware of the association between the table headers and their related data. This occurs on the following page: Shopping Cart. • Some information, structure, and/or relationships are only presented visually but not conveyed programmatically, so context provided to sighted users is not available to people who are blind. This occurs on the following page: axe rule help.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The reading and navigation order of Deque University site is logical and intuitive.
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: For most content, color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements. The following exceptions exist:</p> <ul style="list-style-type: none"> • Color is used as the only method to convey the state (such as "checked," "pressed," or "selected") of a control, so that information will not be available to people who are colorblind and people who are blind and/or use a screen reader. This occurs on the following components: Header; Code.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p>	<p>Web: Deque University site does not contain audio content that plays automatically for more than 3 seconds.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: All functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard) in Deque University site.
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard.

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Deque University site does not have any character keyboard shortcuts that use only letter (including upper- and lower-case letters), punctuation, number, or symbol characters.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: When a time limit exists, the user is given options to extend that time limit.

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: On all the pages where moving, blinking, scrolling, or auto-updating information is present, that information can be paused, stopped, hidden, or otherwise controlled by the user.
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Not Applicable	Web: Deque University site does not contain flashing content.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	Web: A method is provided to skip navigation and other page elements that are repeated on all pages of Deque University site.
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Deque University site pages have descriptive and informative titles.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The navigation order of all interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability.
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The purpose of each link in Deque University site can be determined from the link text alone or from the link text and its programmatic context.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All functionality in Deque University site that can be operated with a pointer can be operated with single-point actions.
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	<p>Web: For functionality in Deque University site that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> The action is not triggered on the down event. The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion. The up-event reverses any outcome of the preceding down-event. Completing the function on the down-event is essential.
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: For most user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label. The following exceptions exist:</p> <ul style="list-style-type: none"> The accessible name of an interactive element (such as a link, button, or form input) does not contain the visible label, so people who use speech input to navigate and operate content will not be able to access the element. This occurs on the following page: Link.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.
<p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The language of each page in Deque University site is correct and can be determined programmatically.

Criteria	Conformance Level	Remarks and Explanations
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: On pages in Deque University site that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order.

Criteria	Conformance Level	Remarks and Explanations
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: For form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected.
3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: No processes on Deque University site require the user required to enter information previously entered as part of the same process.

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer “Supports”</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	<p>Web: For the WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata. This criterion was removed from WCAG 2.2.</p>

4.1.2 Name, Role, Value (Level A)

Also applies to:

EN 301 549 Criteria

- 9.4.1.2 (Web)
- 10.4.1.2 (Non-web document)
- 11.4.1.2.1 (Open Functionality Software)
- 11.4.1.2.2 (Closed Software) – Does not apply
- 11.8.2 (Authoring Tool)
- 12.1.2 (Product Docs)
- 12.2.4 (Support Docs)

Revised Section 508

- 501 (Web)(Software)
- 504.2 (Authoring Tool)
- 602.3 (Support Docs)

Web: Partially Supports

Web: The name, role, state, and value of most user interface components can be programmatically determined. The following exceptions exist:

- An element is missing or has an incorrect programmatic name, so people who are blind and/or use a screen reader or other assistive technology may not be able to determine the name of the element and may not understand its purpose or content or how to interact with it. This occurs on the following page: carousel.
- For an element that allows a user either to select or not select a single option (like a checkbox or radio buttons) or to select from among 2 or more options (like a select dropdown), the state (such as checked/unchecked or selected/not selected) is not conveyed to assistive technology, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose of the element, the options available, and whether the element or an option is currently checked. This occurs on the following component: Header.
- An element does not have an attribute in its HTML code that will provide its programmatic state (such as "checked"/"not checked") to assistive technology or the state assigned is not correct, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the current state of the element or how to interact with it. This occurs on the following page: Progress Bar (Bounded).
- The element has missing or incorrect states or properties that are necessary for screen reader users to interact with or understand the content conveyed by the element. This occurs on the following page:

Criteria	Conformance Level	Remarks and Explanations
		Axe Assistant.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.4 Captions (Live)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports (Not Applicable)	Web: Live multimedia with audio is not present in Deque University site, so synchronized captions are not required.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Prerecorded multimedia files have audio descriptions where necessary.
<p><u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Orientation of the content in Deque University site is not locked to either landscape or portrait.
<p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The purpose for each input field in Deque University site that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<p>Web: Most text and images of regular text have the required color contrast ratio with their backgrounds. The following exceptions exist:</p> <ul style="list-style-type: none"> The color contrast ratio on hover or focus between a control's text label and its background is less than 4.5:1, so people who are colorblind or have low vision may have difficulty reading the text label of the control. This occurs on the following pages: Tooltip Dialog; Date-picker.
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Partially Supports	<p>Web: Most content is readable and functional when browser zoom is set to 200% of its initial size. The following exceptions exist:</p> <ul style="list-style-type: none"> Content is lost, clipped, or obscured when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to that content. This occurs on the following pages: Disability Statistics; QUIZ.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: When content can be presented visually using only text, an image of text is not used to present that text.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide. The following exceptions exist:</p> <ul style="list-style-type: none"> • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content does not fit horizontally, so it cannot be viewed without scrolling. People with low vision who increase the size of text and other content using the browser zoom may have difficulty accessing the content that can only be seen by horizontal scrolling. This occurs on the following pages: Purchase Orders; Disability Statistics. • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content or functionality becomes unavailable, so people with low vision who increase the size of text and other content using the browser zoom will not be able to access all of the page's content and/or functionality. This occurs on the following pages: Video Tutorials - Page Title; Web Accessibility Classes and Workshops; QUIZ. • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content overlaps and cannot be seen or understood, so the overlapping content is not available to people with low vision who increase the size of text and other content using the browser zoom. This occurs on the following pages: carousel; Table (Sortable); Cookie Overlay.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background. The following exceptions exist:</p> <ul style="list-style-type: none"> • An image or graphic (like a chart) or part of the image/graphic required to understand its content does not have a 3:1 color contrast ratio with the background or adjacent colors, so people who are colorblind or have low vision may not be able understand the information presented by the image/graphic. This occurs on the following pages: Slider; Progress Bar (Bounded); Progress Bar (Unbounded). • The focus indicator of an interactive element (like a button or input field) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving when the interactive element is receiving focus. This occurs on the following pages: Header; Link; Predictive Text; Video Tutorials - Page Title.
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: For most content, the spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality. The following exceptions exist:</p> <ul style="list-style-type: none"> • When text spacing is adjusted to help people with vision, reading, and/or cognitive disabilities, some or all of the content cannot be read because it overlaps with other content. This occurs on the following pages: Home Page; Axe HTML 4.5 rules.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: In most cases when additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it. The following exceptions exist:</p> <ul style="list-style-type: none"> • Content that appears on mouse hover (such as tooltips, drop-down menus, or popups) disappears when the mouse pointer is moved over that content, meaning people with disabilities, especially people with low vision who need to magnify text, may not be able to read the additional content. This occurs on the following page: Tooltip.
<p><u>2.4.5 Multiple Ways</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Web: Supports</p>	<p>Web: Multiple ways are available to find other pages in Deque University site.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Partially Supports</p>	<p>Web: Most headings and labels for form and interactive controls are informative. The following exceptions exist:</p> <ul style="list-style-type: none"> • A label for a control or form input field does not convey the purpose of the control or input, so users may not understand what the control does or what data to enter, especially people with cognitive or learning disabilities and people who are blind and/or use a screen reader. This occurs on the following page: Checkbox (Tri-State). • A programmatic label for a control or form input field does not convey the purpose of the control or input, so people who are blind and/or use a screen reader may not understand what the control does or what data to enter. This occurs on the following pages: axe rule help; axe adviser. • Multiple buttons have identical programmatic labels but different functionality, and there is no programmatic context, so people who are blind and/or use a screen reader will not know or may be confused or misled about what each button does. This occurs on the following page: axe adviser.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: Throughout Deque University site, it is visually apparent which page element is currently receiving keyboard focus.
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: When most user interface components receive keyboard focus, each component is not entirely hidden due to author-created content. The following exceptions exist:</p> <ul style="list-style-type: none"> • A focused element is completely covered by other author-created content, which may cause people who use the keyboard to navigate content to become disoriented. This occurs on the following pages: Disability Statistics; Cookie Overlay.
<p>2.5.7 Dragging Movements (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: In the Deque University site site, there is no dragging movement functionality.
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The size of the target for each clickable control in Deque University site is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: The language of any section of content in Deque University site that is different from the default language of the page is correctly identified and can be determined programmatically.
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	Web: Navigation patterns that are repeated on web pages in Deque University site are presented in the same relative order each time they appear and do not change order when navigating through the site.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Web: Supports	Web: Labels, names, and text alternatives for content that have the same functionality across multiple web pages in Deque University site are consistently identified.
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.

Criteria	Conformance Level	Remarks and Explanations
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Web: Supports	Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.
<u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process in Deque University site unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site.
<u>4.1.3 Status Messages</u> (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Web: Partially Supports	Web: In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exceptions exist: <ul style="list-style-type: none"> A status message is not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status message or they may not hear it in a timely fashion. This occurs on the following page: Progress Bar (Unbounded).

Table 3: Success Criteria, Level AAA

Notes: Not Applicable. The Deque University site was not assessed for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Most functionality is usable without vision. Exceptions are noted in: <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.4.1 Use of Color• 2.4.6 Headings and Labels• 4.1.2 Name, Role, Value
302.2 With Limited Vision	Partially Supports	Most functionality is usable with limited vision. Exceptions are noted in: <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.4.1 Use of Color• 1.4.3 Contrast (minimum)• 1.4.4 Resize Text• 2.4.6 Headings and Labels• 4.1.2 Name, Role, Value
302.3 Without Perception of Color	Partially Supports	Most functionality is usable without perception of color. Exceptions are noted in: <ul style="list-style-type: none">• 1.4.1 Use of Color• 1.4.3 Contrast (minimum)
302.4 Without Hearing	Not Applicable	Deque University site does not require the use of hearing.
302.5 With Limited Hearing	Not Applicable	Deque University site does not require the use of hearing.
302.6 Without Speech	Not Applicable	The product does not require the use of speech.

Criteria	Conformance Level	Remarks and Explanations
302.7 With Limited Manipulation	Partially Supports	Most functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in: <ul style="list-style-type: none"> • 2.4.6 Headings and Labels • 4.1.2 Name, Role, Value
302.8 With Limited Reach and Strength	Supports	All functionality is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.4.1 Use of Color • 2.4.6 Headings and Labels • 4.1.2 Name, Role, Value

Chapter 4: [Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
502.2.1 User Control of Accessibility Features	Not Applicable	Deque University site is not platform software, so this requirement does not apply.
502.2.2 No Disruption of Accessibility Features	Supports	Deque University site does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.2 Modification of Object Information	Partially Supports	For most objects that allow the user to set their respective properties and/or state, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.3 Row, Column, and Headers	Partially Supports	In most instances when a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 1.3.1 Info and Relationships

Criteria	Conformance Level	Remarks and Explanations
502.3.4 Values	Partially Supports	For most objects that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology. Exceptions include: <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.5 Modification of Values	Partially Supports	For most objects that allow the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions include: <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.6 Label Relationships	Partially Supports	For most elements that act as a label for another element and elements that are labeled by another element, the labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value
502.3.7 Hierarchical Relationships	Supports	When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.
502.3.8 Text	Supports	All text, text attributes (such as whether text is static or editable), and text boundaries (such as when text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text	Supports	When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.10 List of Actions	Supports	When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.
502.3.11 Actions on Objects	Supports	For all the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology.
502.3.12 Focus Cursor	Supports	On all pages, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology.
502.3.13 Modification of Focus Cursor	Not Applicable	Deque University site does not allow modification of the focus indicator, text insertion point, or text selector indicator.
502.3.14 Event Notification	Partially Supports	In most cases, status messages relevant to user interactions are available to, and presented by, assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 4.1.3 Status Messages
502.4 Platform Accessibility Features	Not Applicable	The website is not platform software, so this requirement does not apply.
<u>503 Applications</u>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
503.2 User Preferences	Supports	Deque University site allows users to set or modify color, contrast, font type and size, and focus cursor.
503.3 Alternative User Interfaces	Not Applicable	Deque University site does not offer an alternative user interface.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	Deque University site does not contain media with an audio component that has closed captions.
503.4.2 Audio Description Controls	Not Applicable	Deque University site does not contain media with a video component that offers audio descriptions.
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	Not Applicable	Deque University site is not an authoring tool.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	Deque University site is not an authoring tool.
504.2.2 PDF Export	Not Applicable	Deque University site is not an authoring tool.
504.3 Prompts	Not Applicable	Deque University site is not an authoring tool.
504.4 Templates	Not Applicable	Deque University site is not an authoring tool.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features	Not Applicable	Documentation is provided for Deque University site; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
602.3 Electronic Support Documentation	Supports	Support documentation for Deque University site is available in digital formats that conform to most WCAG 2.0 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in the Deque Product Docs Site ACR .
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	Documentation for Deque University site is not provided in non-electronic formats.
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Support services provide information on Deque University site's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
603.3 Accommodation of Communication Needs	Supports	Support services for Deque University site provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.

EN 301 549 Report

Notes:

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Most functionality is usable without vision. Exceptions are noted in: <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.4.1 Use of Color• 2.4.6 Headings and Labels• 4.1.2 Name, Role, Value• 4.1.3 Status Messages
4.2.2 Usage with limited vision	Partially Supports	Most functionality is usable with limited vision. Exceptions are noted in: <ul style="list-style-type: none">• 1.1.1 Non-Text Content• 1.3.1 Info and Relationships• 1.4.1 Use of Color• 1.4.3 Contrast (minimum)• 1.4.4 Resize Text• 1.4.10 Reflow• 1.4.11 Non-Text Contrast• 1.4.12 Text Spacing• 1.4.13 Content on Hover or Focus• 2.4.6 Headings and Labels• 4.1.2 Name, Role, Value
4.2.3 Usage without perception of colour	Partially Supports	Most functionality is usable without perception of color. Exceptions are noted in: <ul style="list-style-type: none">• 1.4.1 Use of Color• 1.4.3 Contrast (minimum)• 1.4.11 Non-Text Contrast

Criteria	Conformance Level	Remarks and Explanations
4.2.4 Usage without hearing	Not Applicable	Deque University site does not require the use of hearing.
4.2.5 Usage with limited hearing	Not Applicable	Deque University site does not require the use of hearing.
4.2.6 Usage with no or limited vocal capability	Not Applicable	The product does not require the use of speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Partially Supports	<p>Most functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.4.13 Content on Hover or Focus • 2.4.6 Headings and Labels • 2.5.3 Label in Name • 4.1.2 Name, Role, Value
4.2.8 Usage with limited reach	Partially Supports	<p>Most functionality is usable by people with limited reach.</p> <ul style="list-style-type: none"> • 1.4.13 Content on Hover or Focus • 2.5.3 Label in Name
4.2.9 Minimize photosensitive seizure triggers	Supports	All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures.

Criteria	Conformance Level	Remarks and Explanations
4.2.10 Usage with limited cognition, language or learning	Partially Supports	<p>Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology.</p> <p>Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.1.1 Non-Text Content • 1.3.1 Info and Relationships • 1.4.1 Use of Color • 1.4.10 Reflow • 1.4.12 Text Spacing • 1.4.13 Content on Hover or Focus • 2.4.6 Headings and Labels • 2.5.3 Label in Name • 4.1.2 Name, Role, Value • 4.1.3 Status Messages
4.2.11 Privacy	Not Applicable	Deque University site does not provide any specific accessibility features that impact the user's privacy.

Chapter 5: [Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.1.3.1 Audio output of visual information	Not Applicable	Deque University site does not have closed functionality and allows the use of an outside or add-on screen reader to provide audio output of visual information.
5.1.3.2 Auditory output delivery including speech	Not Applicable	Deque University site does not have closed functionality and allows auditory output (including speech) to be conveyed by outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.3 Auditory output correlation	Not Applicable	Deque University site does not have closed functionality, so audio information is conveyed using outside or add-on software and/or hardware.
5.1.3.4 Speech output user control	Not Applicable	Deque University site does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.5 Speech output automatic interruption	Not Applicable	Deque University site does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.6 Speech output for non-text content	Not Applicable	Deque University site does not have closed functionality and allows auditory output (including the announcement of text alternatives for images) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.7 Speech output for video information	Not Applicable	Deque University site does not have closed functionality, and pre-recorded video content is not needed to enable the use of closed functions. Also, the product allows auditory output (including audio description of visual information in a video) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.8 Masked entry	Not Applicable	Deque University site does not have closed functionality, so any auditory output of masked characters is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.9 Private access to personal data	Not Applicable	Deque University site does not have closed functionality, so any auditory output of information considered to be private is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.10 Non-interfering audio output	Not Applicable	Deque University site does not have closed functionality, so the initiation of any auditory output that may interfere with other audio is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.11 Private listening volume	Not Applicable	Deque University site does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.12 Speaker volume	Not Applicable	Deque University site does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.13 Volume reset	Not Applicable	Deque University site does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.14 Spoken languages	Not Applicable	Deque University site does not have closed functionality, so the assignment of a particular language to speech output is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.15 Non-visual error identification	Not Applicable	Deque University site does not have closed functionality, so speech output to identify and/or describe an error is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	Deque University site does not have closed functionality, so speech output to provide information necessary to complete or verify a transaction is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.4 Functionality closed to text enlargement	Not Applicable	Deque University site does not have closed functionality, and all text and images of text can be enlarged by the operating system or browser.

Criteria	Conformance Level	Remarks and Explanations
5.1.5 Visual output for auditory information	Not Applicable	Deque University site does not have closed functionality, and auditory information is not needed to enable the use of closed functions.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	Deque University site is not closed to keyboards or keyboard interfaces.
5.1.7 Access without speech	Not Applicable	Deque University site does not require speech to enable the use of any functionality.
5.2 Activation of accessibility features	Supports	Any documented accessibility feature that meets a specific need can be activated without relying on any motor or sensory input related to that need.
5.3 Biometrics	Not Applicable	Deque University site does not use biological characteristics for identification or to control any functionality.
5.4 Preservation of accessibility information during conversion	Not Applicable	Deque University site does not have functionality that converts information or communication from one format to another.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	Deque University site is a web application and has no physical parts.
5.5.2 Operable parts discernibility	Not Applicable	Deque University site is a web application and has no physical parts.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	Deque University site has no physical locking or toggle controls.
5.6.2 Visual status	Not Applicable	Deque University site has no physical locking or toggle controls.
5.7 Key repeat	Not Applicable	Deque University site has no physical keyboard or keypad, so it has no key repeat function.

Criteria	Conformance Level	Remarks and Explanations
5.8 Double-strike key acceptance	Not Applicable	Deque University site has no physical keyboard or keypad, so it has no functionality related to accepting identical keystrokes that occur within a specific timeframe.
5.9 Simultaneous user actions	Not Applicable	Deque University site has no functionality requiring simultaneous actions (such as having to press multiple keys at the same time) with no alternative.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: The ICT covered by this report does not have any functionality that supports two-way communication. As such, the requirements of this chapter do not apply.

Chapter [7: ICT with Video Capabilities](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell – no response required	Heading cell – no response required
7.1.1 Captioning playback	Supports	Captioning playback is supported in embedded videos.
7.1.2 Captioning synchronization	Supports	Synchronization is preserved between the captions and the corresponding audio in embedded videos.
7.1.3 Preservation of captioning	Not Applicable	The video player does not transmit, convert, or record video with synchronized audio.
7.1.4 Captions characteristics	Supports	The video player supports adapting the displayed characteristics of captions.
7.1.5 Spoken subtitles	Not Applicable	The video player does not support spoken subtitles.
7.2.1 Audio description playback	Supports	Embedded videos provide a mechanism to select and play closed audio description.
7.2.2 Audio description synchronization	Supports	The video player supports audio description tracks.

Criteria	Conformance Level	Remarks and Explanations
7.2.3 Preservation of audio description	Not Applicable	The product does not transmit, convert, or record video.
7.3 User controls for captions and audio description	Supports	Embedded videos provide user controls for captions and for audio descriptions.

Chapter [8: Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Notes: The ICT covered by this report is a web application. As such, its accessibility requirements are covered in the [WCAG 2.2](#) section.

Chapter [10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.2 section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.
10.6 Audio description timing	Not Applicable	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.

Chapter [11: Software](#)

Notes: The ICT covered by this report is a web application, and it is not an authoring tool. As such, its accessibility requirements are covered in Chapter 9 and by reference the [WCAG 2.2](#) section. Thus, the requirements of this chapter do not apply.

Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	Documentation is provided for Deque University site; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
12.1.2 Accessible documentation	Supports	Documentation provided for Deque University site is available in digital formats that conform to most WCAG 2.1 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in a separate report that is available at Deque Product Docs Site ACR .
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Support services provide information on Deque University site's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
12.2.3 Effective communication	Supports	Support services for Deque University site provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.

Criteria	Conformance Level	Remarks and Explanations
12.2.4 Accessible documentation	Supports	Documentation provided by support services for Deque University site is available in digital formats that conform to most WCAG 2.1 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in the Deque Product Docs Site ACR .

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: The ICT covered by this report does have any functionality that supports two-way communication, including the provision of relay services or access to emergency services. As such, the requirements of this chapter do not apply.

Legal Disclaimer

This document is provided 'AS IS' for informational purposes only and is accurate to the best of our knowledge as of the publication date listed on the first page. All product and company names mentioned herein may be trademarks or registered trademarks of their respective owners.