



# Cauldron Pattern Library Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

**Name of Product/Version:** Cauldron Pattern Library v6.2.0

**Report Date:** March 10<sup>th</sup> 2024

## Product Description:

Deque Cauldron - An accessible HTML, CSS, and JavaScript front-end framework for creating web and mobile applications.

## Contact Information:

Deque Systems,  
[info@deque.com](mailto:info@deque.com)

## Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed between Jan 2024 and March 2024.

---

“Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

## Evaluation Methods Used:

A combination of automated and manual testing techniques was employed for the accessibility assessment

- Manual assessment based on Windows 11 - Chrome 121.0.6167.161, NVDA 2023.3.
- Automation: Ran automation tests using axe-core version 4.8.2.

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.2</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	(Yes)
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)</a> AND <a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	(Yes)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

# WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<a href="#">1.1.1 Non-text Content</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"><li>• 9.1.1.1 (Web)</li><li>• 10.1.1.1 (Non-web document)</li><li>• 11.1.1.1.1 (Open Functionality Software)</li><li>• 11.1.1.1.2 (Closed Functionality Software)</li><li>• 11.8.2 (Authoring Tool)</li><li>• 12.1.2 (Product Docs)</li><li>• 12.2.4 (Support Docs)</li></ul> Revised Section 508 <ul style="list-style-type: none"><li>• 501 (Web)(Software)</li><li>• 504.2 (Authoring Tool)</li><li>• 602.3 (Support Docs)</li></ul>	Web: Supports	Web: Cauldron Pattern Library provides text alternatives for all the instances of images and icons.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.1 (Web)</li> <li>• 10.1.2.1 (Non-web document)</li> <li>• 11.1.2.1.1 (Open Functionality Software)</li> <li>• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library does not contain prerecorded audio-only or video-only media.
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library does not contain prerecorded synchronized media.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.3 (Web)</li> <li>• 10.1.2.3 (Non-web document)</li> <li>• 11.1.2.3.1 (Open Functionality Software)</li> <li>• 11.1.2.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library does not contain prerecorded video content that would require audio description or a media alternative.
<p><b><u>1.3.1 Info and Relationships</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> <li>• 11.1.3.1.1 (Open Functionality Software)</li> <li>• 11.1.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: Visual Structure and relationship information in the Cauldron Pattern Library is provided appropriately in most of the pages.</p> <p>Exceptions Include:</p> <ul style="list-style-type: none"> <li>• Text appears and functions like a section heading but is not marked up as such in “Accordion and Two column panel” pages.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.3.2 Meaningful Sequence</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library presents content in a meaningful sequence in all the pages.
<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.3 (Web)</li> <li>• 10.1.3.3 (Non-web document)</li> <li>• 11.1.3.3 (Open Functionality Software)</li> <li>• 11.1.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Instructions in the Cauldron Pattern Library do not rely solely on sensory characteristics in all the pages.

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.4.1 Use of Color</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.1 (Web)</li> <li>• 10.1.4.1 (Non-web document)</li> <li>• 11.1.4.1 (Open Functionality Software)</li> <li>• 11.1.4.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: No functions of the Cauldron Pattern Library convey information through color alone.
<p><b>1.4.2 Audio Control</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library does not contain audio that plays automatically.

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.1.1 Keyboard</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: All the functionalities in the Cauldron Pattern Library can be operated using only a keyboard and support standard keyboard navigation.
<p><b>2.1.2 No Keyboard Trap</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: All the screens and components of the Cauldron Pattern Library do not include keyboard traps.



Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.1.4 (Web)</li> <li>10.2.1.4 (Non-web document)</li> <li>11.2.1.4.1 (Open Functionality Software)</li> <li>11.2.1.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The Cauldron Pattern Library does not provide character key shortcuts.
<p><a href="#">2.2.1 Timing Adjustable</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.2.1 (Web)</li> <li>10.2.2.1 (Non-web document)</li> <li>11.2.2.1 (Open Functionality Software)</li> <li>11.2.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library provides a mechanism to extend the time limit.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#"><u>2.2.2 Pause, Stop, Hide</u></a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.2 (Web)</li> <li>• 10.2.2.2 (Non-web document)</li> <li>• 11.2.2.2 (Open Functionality Software)</li> <li>• 11.2.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library does not include elements that move, blink, scroll, or auto-update.
<p><a href="#"><u>2.3.1 Three Flashes or Below Threshold</u></a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.3.1 (Web)</li> <li>• 10.2.3.1 (Non-web document)</li> <li>• 11.2.3.1 (Open Functionality Software)</li> <li>• 11.2.3.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library does not contain flashing content.

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.4.1 Bypass Blocks</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.1 (Web)</li> <li>• 10.2.4.1 (Non-web document) – Does not apply</li> <li>• 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.1 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: All the screens in the Cauldron Pattern Library provide a means to bypass blocks of repeated content.
<p><b>2.4.2 Page Titled</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.2 (Web)</li> <li>• 10.2.4.2 (Non-web document)</li> <li>• 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>• 11.2.4.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: All the page in the Cauldron Pattern Library provides a programmatic title that describes that page's topic or purpose.

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.4.3 Focus Order</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.3 (Web)</li> <li>• 10.2.4.3 (Non-web document)</li> <li>• 11.2.4.3 (Open Functionality Software)</li> <li>• 11.2.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: Almost all the Cauldron Pattern Library elements receive focus in a meaningful order.</p> <p>Exceptions Include:</p> <p>Hidden or empty element receives focus whenever a particular toast message appears.</p>
<p><b>2.4.4 Link Purpose (In Context)</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> <li>• 11.2.4.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: All the links in Cauldron Pattern Library can be programmatically determined from their context.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The Cauldron Pattern Library does not rely on multipoint or path-based gestures.
<p><a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The functions on the Cauldron Pattern Library that use a single pointer are completed when the user releases the pointer.
<p><a href="#">2.5.3 Label in Name</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3.1 (Open Functionality Software)</li> <li>• 11.2.5.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The accessible names of all the Cauldron Pattern Library controls contain the text of their visible labels.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.5.4 Motion Actuation</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The Cauldron Pattern Library does not have functionality operated by device motion or user motion.
<p><a href="#">3.1.1 Language of Page</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: On each page of the Cauldron Pattern Library, the language is programmatically determinable.

Criteria	Conformance Level	Remarks and Explanations
<b>3.2.1 On Focus</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.2.1 (Web)</li> <li>10.3.2.1 (Non-web document)</li> <li>11.3.2.1 (Open Functionality Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library components do not initiate a change of context when they receive focus.
<b>3.2.2 On Input</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Changes of context do not occur automatically on user input in the Cauldron Pattern Library.
<b>3.2.6 Consistent Help</b> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: The help mechanism occurs in the same relative order to another page content.

Criteria	Conformance Level	Remarks and Explanations
<b><u>3.3.1 Error Identification</u></b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.3.1 (Web)</li> <li>10.3.3.1 (Non-web document)</li> <li>11.3.3.1.1 (Open Functionality Software)</li> <li>11.3.3.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Where errors are automatically detected in the Cauldron Pattern Library, the error is identified, and an error message is provided as text in all the pages.
<b><u>3.3.2 Labels or Instructions</u></b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.3.2 (Web)</li> <li>10.3.3.2 (Non-web document)</li> <li>11.3.3.2 (Open Functionality Software)</li> <li>11.3.3.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Labels are provided for all of the input fields in the Cauldron Pattern Library.
<b><u>3.3.7 Redundant Entry</u></b> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: In the Cauldron Pattern Library, the user is not asked to enter the same data twice that are part of the same process.



Criteria	Conformance Level	Remarks and Explanations
<p><b>4.1.1 Parsing</b> (Level A)</p> <p>Also applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer “Supports”</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.1 (Web)</li> <li>• 10.4.1.1 (Non-web document)</li> <li>• 11.4.1.1.1 (Open Functionality Software)</li> <li>• 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: In the Cauldron Pattern Library, all the pages in the application (1) use semantically correct mark up for all interactive elements; (2) have complete start and end tags; (3) controls are nested properly; And (4) all pages have unique ID values.
<p><b>4.1.2 Name, Role, Value</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.2 (Web)</li> <li>• 10.4.1.2 (Non-web document)</li> <li>• 11.4.1.2.1 (Open Functionality Software)</li> <li>• 11.4.1.2.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: In Cauldron Pattern Library, all the user interface components provide programmatic name, role and state information to assistive technology users.

## Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.4 Captions (Live)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.4 (Web)</li> <li>• 10.1.2.4 (Non-web document)</li> <li>• 11.1.2.4 (Open Functionality Software)</li> <li>• 11.1.2.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library does not contain live synchronized media.
<p><b><u>1.2.5 Audio Description (Prerecorded)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.5 (Web)</li> <li>• 10.1.2.5 (Non-web document)</li> <li>• 11.1.2.5 (Open Functionality Software)</li> <li>• 11.1.2.5 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library does not contain prerecorded video content that would require audio description.

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.3.4 Orientation</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.4 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.4 (Open Functionality Software)</li> <li>11.1.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The Cauldron Pattern Library content does not restrict its view and operation to a single display orientation.
<p><b>1.3.5 Identify Input Purpose</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.5 (Web)</li> <li>10.1.3.5 (Non-web document)</li> <li>11.1.3.5.1 (Open Functionality Software)</li> <li>11.1.3.5.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All the elements in Cauldron Pattern Library that require autocomplete are provided with necessary values.
<p><b>1.4.3 Contrast (Minimum)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.3 (Web)</li> <li>10.1.4.3 (Non-web document)</li> <li>11.1.4.3 (Open Functionality Software)</li> <li>11.1.4.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: All the text in the Cauldron Pattern Library meets minimum color contrast requirements.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.4 Resize text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.4 (Web)</li> <li>• 10.1.4.4 (Non-web document)</li> <li>• 11.1.4.4.1 (Open Functionality Software)</li> <li>• 11.1.4.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: All the pages in Cauldron Pattern Library zoom to 200% without loss of content.
<p><a href="#">1.4.5 Images of Text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.5 (Web)</li> <li>• 10.1.4.5 (Non-web document)</li> <li>• 11.1.4.5.1 (Open Functionality Software)</li> <li>• 11.1.4.5.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library uses text instead of images of text except for branding elements that are considered essential in all the pages.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.4.10 Reflow</u></b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.10 (Web)</li> <li>• 10.1.4.10 (Non-web document)</li> <li>• 11.1.4.10 (Open Functionality Software)</li> <li>• 11.1.4.10 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All the pages in Cauldron Pattern Library supports reflow so content can be viewed without vertical scrolling in a viewport that is 320 pixels (px) wide and without horizontal scrolling in a viewport that is 256 pixels high.
<p><b><u>1.4.11 Non-text Contrast</u></b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.11 (Web)</li> <li>• 10.1.4.11 (Non-web document)</li> <li>• 11.1.4.11 (Open Functionality Software)</li> <li>• 11.1.4.11 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: In Cauldron Pattern Library, Visual presentation have at least 3:1 contrast ratio in almost all the pages.</p> <p>Exceptions Include:</p> <ul style="list-style-type: none"> <li>• State of active component lacks 3 to 1 contrast ratio in the “select” page.</li> <li>• Graphical object lacks 3 to 1 contrast ratio in the “Spacing” page.</li> </ul>
<p><b><u>1.4.12 Text Spacing</u></b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: In the Cauldron Pattern Library, the spacing between letters, words, and lines of text and/or paragraphs can be adjusted in all the pages.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.4.13 Content on Hover or Focus</u></b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All of the content that appears on hover and on focus can be viewed by moving the pointer over the triggering element; can be dismissed without moving the cursor or pointer; and is persistent until the user dismisses it across Cauldron Pattern Library.
<p><b><u>2.4.5 Multiple Ways</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.5 (Web)</li> <li>• 10.2.4.5 (Non-web document) – Does not apply</li> <li>• 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.5 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: More than one way is available to locate a Web page within each page of the Cauldron Pattern Library.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>2.4.6 Headings and Labels</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.6 (Web)</li> <li>• 10.2.4.6 (Non-web document)</li> <li>• 11.2.4.6 (Open Functionality Software)</li> <li>• 11.2.4.6 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: In Cauldron Pattern Library, most of the headings &amp; labels are descriptive.</p> <p>Exceptions Include:</p> <ul style="list-style-type: none"> <li>• Programmatic label does not convey purpose of control in the “Tag Button” page.</li> <li>• Label does not convey purpose of control in the “Two column panel” page.</li> </ul>
<p><b><u>2.4.7 Focus Visible</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.7 (Web)</li> <li>• 10.2.4.7 (Non-web document)</li> <li>• 11.2.4.7 (Open Functionality Software)</li> <li>• 11.2.4.7 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: All the focusable elements in Cauldron Pattern Library have a visible keyboard focus indicator.
<p><b><u>2.4.11 Focus Not Obscured (Minimum)</u></b> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: In the Cauldron Pattern Library, when a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content in all the instances.</p> <p>Exceptions Include:</p> <p>The focused element is completely covered by other author-created content in the “Radio card group” page.</p>

Criteria	Conformance Level	Remarks and Explanations
<a href="#">2.5.7 Dragging Movements</a> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: In the Cauldron Pattern Library, there is no dragging functionality.
<a href="#">2.5.8 Target Size (Minimum)</a> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Partially Supports	Web: In the Cauldron Pattern Library, the size of the target for pointer inputs is at least 24 by 24 CSS pixels in all the pages.  Exceptions Include: Target does not meet minimum 24 x 24 px size or spacing in some of the pages. E.g. “Listbox, Radio Card Group, and so on” pages.
<a href="#">3.1.2 Language of Parts</a> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.1.2 (Web)</li> <li>10.3.1.2 (Non-web document)</li> <li>11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>11.3.1.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Within each page or modal of the Cauldron Pattern Library, the language of each portion of the page or modal is programmatically determinable.



Criteria	Conformance Level	Remarks and Explanations
<p><b>3.2.3 Consistent Navigation</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> <li>• 10.3.2.3 (Non-web document) – Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: The Cauldron Pattern Library provides consistent and repeatable navigation across all screens.
<p><b>3.2.4 Consistent Identification</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.4 (Web)</li> <li>• 10.3.2.4 (Non-web document) – Does not apply</li> <li>• 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.4 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: Components that have the same functionality within the Cauldron Pattern Library are identified consistently.

Criteria	Conformance Level	Remarks and Explanations
<b><u>3.3.3 Error Suggestion</u></b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.3.3 (Web)</li> <li>• 10.3.3.3 (Non-web document)</li> <li>• 11.3.3.3 (Open Functionality Software)</li> <li>• 11.3.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: When an error is automatically detected within a data entry form in the Cauldron Pattern Library, the resulting error message provides suggestions for correction in all the pages.
<b><u>3.3.4 Error Prevention (Legal, Financial, Data)</u></b> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.3.3.4 (Web)</li> <li>• 10.3.3.4 (Non-web document)</li> <li>• 11.3.3.4 (Open Functionality Software)</li> <li>• 11.3.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: When data is being deleted from Cauldron Pattern Library user is notified to confirm their choice.
<b><u>3.3.8 Accessible Authentication (Minimum)</u></b> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: There is no authentication process in the Cauldron Pattern Library.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">4.1.3 Status Messages</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.4.1.3 (Web)</li> <li>10.4.1.3 (Non-web document)</li> <li>11.4.1.3 (Open Functionality Software)</li> <li>11.4.1.3 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All the status messages on the Cauldron Pattern Library are programmatically determined through role or properties and they are announced automatically to the screen reader users.

### Table 3: Success Criteria, Level AAA

Notes: Level AAA success criteria is not within the scope of this conformance evaluation.

# Revised Section 508 Report

Notes:

## Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	<p>Most functions of the Cauldron Pattern Library product are usable without vision.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"><li>• 1.3.1 Info and Relationships</li><li>• 2.4.3 Focus Order</li><li>• 2.4.6 Descriptive Labels</li></ul>
302.2 With Limited Vision	Partially Supports	<p>Most functions of the Cauldron Pattern Library product are usable with limited vision.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"><li>• 1.3.1 Info and Relationships</li><li>• 1.4.11 Non-text Contrast</li><li>• 2.4.3 Focus Order</li><li>• 2.4.6 Descriptive Labels</li><li>• 2.4.11 Focus Not Obscured (Minimum)</li></ul>
302.3 Without Perception of Color	Partially Supports	<p>Almost all the functions of the Cauldron Pattern Library product are usable without perception of color.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"><li>• 1.4.11 Non-text Contrast</li></ul>
302.4 Without Hearing	Supports (Not Applicable)	The product does not require the use of hearing
302.5 With Limited Hearing	Supports (Not Applicable)	The product does not require the use of hearing

Criteria	Conformance Level	Remarks and Explanations
302.6 Without Speech	Supports (Not Applicable)	The product does not require the use of speech.
302.7 With Limited Manipulation	Partially Supports	<p>Users with limited manipulation or strength who use speech recognition or switch control software will not have difficulty navigating to most of the controls.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> <li>• 2.4.3 Focus Order</li> <li>• 2.4.6 Descriptive Labels</li> <li>• 2.5.8 Target Size (Minimum)</li> </ul>
302.8 With Limited Reach and Strength	Supports	Users with limited reach will not have difficulty navigating to all the controls.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	<p>Users with limited cognition, language or learning will not have difficulty navigating to most of the controls.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> <li>• 1.3.1 Info and Relationships</li> <li>• 2.4.3 Focus Order</li> <li>• 2.4.6 Descriptive Labels</li> <li>• 2.4.11 Focus Not Obscured (Minimum)</li> </ul>

## Chapter 4: [Hardware](#)

Notes: Not Applicable

## Chapter 5: [Software](#)

Notes: Not Applicable

## Chapter 6: [Support Documentation and Services](#)

Notes: Not Applicable

# EN 301 549 Report

Notes:

## Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Most functions of the Cauldron Pattern Library product are usable without vision.  Exceptions include: <ul style="list-style-type: none"><li>• 1.3.1 Info and Relationships</li><li>• 2.4.3 Focus Order</li><li>• 2.4.6 Descriptive Labels</li></ul>
4.2.2 Usage with limited vision	Partially Supports	Most functions of the Cauldron Pattern Library product are usable with limited vision.  Exceptions include: <ul style="list-style-type: none"><li>• 1.3.1 Info and Relationships</li><li>• 1.4.11 Non-text Contrast</li><li>• 2.4.3 Focus Order</li><li>• 2.4.6 Descriptive Labels</li><li>• 2.4.11 Focus Not Obscured (Minimum)</li></ul>
4.2.3 Usage without perception of colour	Partially Supports	Almost all the functions of the Cauldron Pattern Library product are usable without perception of color.  Exceptions include: 1.4.11 Non-text Contrast
4.2.4 Usage without hearing	Supports (Not Applicable)	The product does not require the use of hearing
4.2.5 Usage with limited hearing	Supports (Not Applicable)	The product does not require the use of hearing

Criteria	Conformance Level	Remarks and Explanations
4.2.6 Usage with no or limited vocal capability	Supports (Not Applicable)	The product does not require the use of speech.
4.2.7 Usage with limited manipulation or strength	Partially Supports	<p>Users with limited manipulation or strength who use speech recognition or switch control software will not have difficulty navigating to most of the controls.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> <li>• 2.4.3 Focus Order</li> <li>• 2.4.6 Descriptive Labels</li> <li>• 2.5.8 Target Size (Minimum)</li> </ul>
4.2.8 Usage with limited reach	Supports	Users with limited reach will not have difficulty navigating to all the controls.
4.2.9 Minimize photosensitive seizure triggers	Supports (Not Applicable)	The product does not contain flashing content or media.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	<p>Users with limited cognition, language or learning will not have difficulty navigating to most of the controls.</p> <p>Exceptions include:</p> <ul style="list-style-type: none"> <li>• 1.3.1 Info and Relationships</li> <li>• 2.4.3 Focus Order</li> <li>• 2.4.6 Descriptive Labels</li> <li>• 2.4.11 Focus Not Obscured (Minimum)</li> </ul>
4.2.11 Privacy	Supports (Not Applicable)	The product does not provide any privacy features.

## Chapter 5: [Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2 General</b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
<b>5.1.2.1 Closed functionality</b>	See 5.2 through 13	See information in 5.2 through 13
<b>5.1.2.2 Assistive technology</b>	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
<b>5.1.3 Non-visual access</b>	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	The product does not have closed functionality.
5.1.3.2 Auditory output delivery including speech	Not Applicable	The product does not have closed functionality.
5.1.3.3 Auditory output correlation	Not Applicable	The product does not have closed functionality.
5.1.3.4 Speech output user control	Not Applicable	The product does not have closed functionality.
5.1.3.5 Speech output automatic interruption	Not Applicable	The product does not have closed functionality.
5.1.3.6 Speech output for non-text content	Not Applicable	The product does not have closed functionality.
5.1.3.7 Speech output for video information	Not Applicable	The product does not have closed functionality.
5.1.3.8 Masked entry	Not Applicable	The product does not have closed functionality.
5.1.3.9 Private access to personal data	Not Applicable	The product does not have closed functionality.
5.1.3.10 Non-interfering audio output	Not Applicable	The product does not have closed functionality.
5.1.3.11 Private listening volume	Not Applicable	The product does not have closed functionality.
5.1.3.12 Speaker volume	Not Applicable	The product does not have closed functionality.
5.1.3.13 Volume reset	Not Applicable	The product does not have closed functionality.
5.1.3.14 Spoken languages	Not Applicable	The product does not have closed functionality.
5.1.3.15 Non-visual error identification	Not Applicable	The product does not have closed functionality.
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	The product does not have closed functionality.



Criteria	Conformance Level	Remarks and Explanations
5.1.4 Functionality closed to text enlargement	Not Applicable	The product does not have closed functionality.
5.1.5 Visual output for auditory information	Not Applicable	The product does not have closed functionality.
<b>5.1.6 Operation without keyboard interface</b>		
<b>5.1.6.1 Closed functionality</b>	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	The product does not have closed functionality.
5.1.7 Access without speech	Not Applicable	The product does not require the use of speech.
5.2 Activation of accessibility features	Not Applicable	The product does not have specific documented accessibility features that allow preferences to be set for accessibility.
5.3 Biometrics	Not Applicable	Biometrics is not included in the product.
5.4 Preservation of accessibility information during conversion	Not Applicable	The product does not convert content.
<b>5.5 Operable parts</b>		
5.5.1 Means of operation	Not Applicable	The product has only non-mechanical operable parts, such as on-screen buttons, which do not require grasping, pinching, or twisting of the wrist to operate.
5.5.2 Operable parts discernibility	Partially Supports	The product has only non-mechanical operable parts, such as on-screen buttons. Most operable parts have an accessible name which enables them to be discernible without user vision. Exceptions are noted in the 2.4.6 Descriptive labels.
<b>5.6 Locking or toggle controls</b>		
5.6.1 Tactile or auditory status	Not Applicable	Tactile or auditory status is not included in the product.
5.6.2 Visual status	Supports	Visual status of controls is discernable in the product.

Criteria	Conformance Level	Remarks and Explanations
5.7 Key repeat	Not Applicable	Key repeat functionality is not found in the product.
5.8 Double-strike key acceptance	Not Applicable	Double -strike key acceptance is not found in the product.
5.9 Simultaneous user actions	Not Applicable	The product does not require simultaneous user actions to achieve any functionality.

## **Chapter [6: ICT with Two-Way Voice Communication](#)**

Notes: Not Applicable

## **Chapter [7: ICT with Video Capabilities](#)**

Notes: Not Applicable

## **Chapter [8: Hardware](#)**

Notes: Not Applicable

## **Chapter [9: Web](#)**

Notes: (see WCAG 2.2 section)

## **Chapter [10: Non-Web Documents](#)**

Notes: Not Applicable

## **Chapter [11: Software](#)**

Notes: Not Applicable

## **Chapter [12: Documentation and Support Services](#)**

Notes: Not Applicable

## **Chapter [13: ICT Providing Relay or Emergency Service Access](#)**

Notes: Not Applicable

## Legal Disclaimer (Company)

This document is provided 'AS IS' for informational purposes only and is accurate to the best of our knowledge as of the publication date listed on the first page. All product and company names mentioned herein may be trademarks or registered trademarks of their respective owners.

## Scope of Evaluation

The pages in the following table were evaluated as part of the assessment on which this report is based.

Sl. No.	Page Name
1	Introduction
2	Component Guidelines
3	Style Guidelines
4	Theming
5	Colors
6	Spacing
7	Typography
8	Accordion
9	Address
10	Alert
11	BreadCrumb
12	Button
13	Checkbox
14	ClickOutsideListener
15	Code
16	Combo box
17	DescriptionList
18	ExpandCollapsePanel
19	Field Wrap
20	Icon
21	IconButton
22	Layout
23	Line
24	Link
25	Listbox
26	Loader
27	LoaderOverlay

28	Modal
29	NavBar
30	Notice
31	Offscreen
32	OptionsMenu
33	Pagination
34	Panel
35	Popover
36	ProgressBar
37	Radio card group
38	RadioGroup
39	Scrim
40	SearchField
41	Select
42	SkipLink
43	Stepper
44	Table
45	Tabs
46	Tag
47	TagButton
48	TextField
49	Timeline
50	Toast
51	Tooltip
52	TooltipTabstop
53	TopBar
54	Two column panel