



# Deque Systems Inc. Accessibility Conformance Report International Edition

(Based on VPAT<sup>®</sup> Version 2.5)

## Name of Product/Version:

axe Developer Hub v4.130.2

## Report Date:

November 11<sup>th</sup> 2024

## Product Description:

The axe Developer Hub performs Codeless end-to-end accessibility testing. Get setup in minutes and have your end-to-end tests empowered with the world's most trusted automated accessibility rules. An integrated accessibility testing solution that makes it easy to incorporate accessibility testing into current test codebase and tracks accessibility results over time.

## Contact information:

Deque Systems,  
13800 Coppermine Road,  
Herndon, VA 20171  
1-703-225-0380

---

“Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

## Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed in November of 2024

## Evaluation Methods Used:

A combination of automated and manual testing techniques was employed for the accessibility assessment

- Manual assessment was performed using Chrome v. 130.0.6723.117 on Windows 11 and included exclusive use of the keyboard.
- Automated tools used included axe Auditor and the axe DevTools browser extension using axe-core version 4.10.0.
- Assistive technologies employed included NVDA v.2024.2.

## Scope of Evaluation

The following pages were evaluated as part of the assessment on which this report is based:

- Start up
- Projects
- Instructions – axe DevTools
- Projects Summary
- Issues
- View Commits
- Branches

In addition to the pages listed above, the following components that appear on multiple pages were tested as part of the assessment:

- Header
- Footer

# Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.2</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	(Yes)
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND</a> <a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	(Yes)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

# WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.1.1 Non-text Content</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.1.1 (Web)</li> <li>• 10.1.1.1 (Non-web document)</li> <li>• 11.1.1.1.1 (Open Functionality Software)</li> <li>• 11.1.1.1.2 (Closed Functionality Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Informative non-text content (such as an image) has a text alternative that conveys the information presented by that content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.1 (Web)</li> <li>• 10.1.2.1 (Non-web document)</li> <li>• 11.1.2.1.1 (Open Functionality Software)</li> <li>• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Prerecorded audio-only and/or video-only files are not present in axe Developer Hub.
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Prerecorded videos are not present in axe Developer Hub.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.3 (Web)</li> <li>• 10.1.2.3 (Non-web document)</li> <li>• 11.1.2.3.1 (Open Functionality Software)</li> <li>• 11.1.2.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Prerecorded videos are not present in axe Developer Hub, so audio description is not required.
<p><a href="#">1.3.1 Info and Relationships</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> <li>• 11.1.3.1.1 (Open Functionality Software)</li> <li>• 11.1.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Information, structure, and relationships conveyed through visual presentation can be programmatically determined or are available in text.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.3.2 Meaningful Sequence</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The reading and navigation order of axe Developer Hub is logical and intuitive.
<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.3 (Web)</li> <li>• 10.1.3.3 (Non-web document)</li> <li>• 11.1.3.3 (Open Functionality Software)</li> <li>• 11.1.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.4.1 Use of Color</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.1 (Web)</li> <li>• 10.1.4.1 (Non-web document)</li> <li>• 11.1.4.1 (Open Functionality Software)</li> <li>• 11.1.4.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements in axe Developer Hub.</p>
<p><b>1.4.2 Audio Control</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: axe Developer Hub does not contain audio content that plays automatically for more than 3 seconds.</p>



Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.1.1 Keyboard</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: All functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard) in axe Developer Hub.
<p><a href="#">2.1.2 No Keyboard Trap</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.4 (Web)</li> <li>• 10.2.1.4 (Non-web document)</li> <li>• 11.2.1.4.1 (Open Functionality Software)</li> <li>• 11.2.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: axe Developer Hub does not have any character keyboard shortcuts that use only letter (including upper- and lower-case letters), punctuation, number, or symbol characters.
<p><a href="#">2.2.1 Timing Adjustable</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.1 (Web)</li> <li>• 10.2.2.1 (Non-web document)</li> <li>• 11.2.2.1 (Open Functionality Software)</li> <li>• 11.2.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: When a time limit exists, the user is given options to extend that time limit.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.2.2 Pause, Stop, Hide</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.2 (Web)</li> <li>• 10.2.2.2 (Non-web document)</li> <li>• 11.2.2.2 (Open Functionality Software)</li> <li>• 11.2.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: On all the pages where moving, blinking, scrolling, or auto-updating information is present, that information can be paused, stopped, hidden, or otherwise controlled by the user.
<p><a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.3.1 (Web)</li> <li>• 10.2.3.1 (Non-web document)</li> <li>• 11.2.3.1 (Open Functionality Software)</li> <li>• 11.2.3.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: axe Developer Hub does not contain flashing content.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.4.1 Bypass Blocks</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.1 (Web)</li> <li>• 10.2.4.1 (Non-web document) – Does not apply</li> <li>• 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.1 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: A method is provided to skip navigation and other page elements that are repeated on all pages of axe Developer Hub.
<p><a href="#">2.4.2 Page Titled</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.2 (Web)</li> <li>• 10.2.4.2 (Non-web document)</li> <li>• 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>• 11.2.4.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: axe Developer Hub pages have descriptive and informative titles.

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.4.3 Focus Order</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.3 (Web)</li> <li>• 10.2.4.3 (Non-web document)</li> <li>• 11.2.4.3 (Open Functionality Software)</li> <li>• 11.2.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: The navigation order of all the interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability.</p>
<p><b>2.4.4 Link Purpose (In Context)</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> <li>• 11.2.4.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: The purpose of each link in axe Developer Hub can be determined from the link text alone or from the link text and its programmatic context.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All functionality in axe Developer Hub that can be operated with a pointer can be operated with single-point actions.
<p><a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	<p>Web: For functionality in axe Developer Hub that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> <li>• The action is not triggered on the down event.</li> <li>• The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion.</li> <li>• The up-event reverses any outcome of the preceding down-event.</li> <li>• Completing the function on the down-event is essential.</li> </ul>
<p><a href="#">2.5.3 Label in Name</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3.1 (Open Functionality Software)</li> <li>• 11.2.5.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: For all the user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.5.4 Motion Actuation</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.
<p><a href="#">3.1.1 Language of Page</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The language of each page in axe Developer Hub is correct and can be determined programmatically.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">3.2.1 On Focus</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.1 (Web)</li> <li>• 10.3.2.1 (Non-web document)</li> <li>• 11.3.2.1 (Open Functionality Software)</li> <li>• 11.3.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.
<p><a href="#">3.2.2 On Input</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.2 (Web)</li> <li>• 10.3.2.2 (Non-web document)</li> <li>• 11.3.2.2 (Open Functionality Software)</li> <li>• 11.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.
<p><a href="#">3.2.6 Consistent Help</a> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: On pages in axe Developer Hub that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order.



Criteria	Conformance Level	Remarks and Explanations
<p><b>3.3.1 Error Identification</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.1 (Web)</li> <li>• 10.3.3.1 (Non-web document)</li> <li>• 11.3.3.1.1 (Open Functionality Software)</li> <li>• 11.3.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.
<p><b>3.3.2 Labels or Instructions</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: For form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected.
<p><b>3.3.7 Redundant Entry</b> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: No processes on axe Developer Hub require the user required to enter information previously entered as part of the same process.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">4.1.1 Parsing</a> (Level A)</p> <p>Also applies to:            WCAG 2.0 and 2.1 – Always answer “Supports”            WCAG 2.2 (obsolete and removed) - Does not apply            EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.1 (Web)</li> <li>• 10.4.1.1 (Non-web document)</li> <li>• 11.4.1.1.1 (Open Functionality Software)</li> <li>• 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: For the WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <a href="#">WCAG 2.0 Editorial Errata</a> and the <a href="#">WCAG 2.1 Editorial Errata</a>. This criterion was removed from WCAG 2.2.</p>
<p><a href="#">4.1.2 Name, Role, Value</a> (Level A)</p> <p>Also applies to:            EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.2 (Web)</li> <li>• 10.4.1.2 (Non-web document)</li> <li>• 11.4.1.2.1 (Open Functionality Software)</li> <li>• 11.4.1.2.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: The name, role, state, and value of each user interface component can be programmatically determined.</p>

## Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.4 Captions (Live)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.4 (Web)</li> <li>• 10.1.2.4 (Non-web document)</li> <li>• 11.1.2.4 (Open Functionality Software)</li> <li>• 11.1.2.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Live multimedia with audio is not present in axe Developer Hub, so synchronized captions are not required.</p>
<p><b><u>1.2.5 Audio Description (Prerecorded)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.5 (Web)</li> <li>• 10.1.2.5 (Non-web document)</li> <li>• 11.1.2.5 (Open Functionality Software)</li> <li>• 11.1.2.5 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: Prerecorded multimedia is not present in axe Developer Hub, so audio descriptions are not required.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.3.4 Orientation</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.4 (Web)</li> <li>• 10.1.3.4 (Non-web document)</li> <li>• 11.1.3.4 (Open Functionality Software)</li> <li>• 11.1.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Orientation of the content in axe Developer Hub is not locked to either landscape or portrait.
<p><b>1.3.5 Identify Input Purpose</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.5 (Web)</li> <li>• 10.1.3.5 (Non-web document)</li> <li>• 11.1.3.5.1 (Open Functionality Software)</li> <li>• 11.1.3.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The purpose for each input field in axe Developer Hub that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.
<p><b>1.4.3 Contrast (Minimum)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.3 (Web)</li> <li>• 10.1.4.3 (Non-web document)</li> <li>• 11.1.4.3 (Open Functionality Software)</li> <li>• 11.1.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Text and images of regular text in axe Developer Hub have the required color contrast ratio with their backgrounds.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.4 Resize text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.4 (Web)</li> <li>• 10.1.4.4 (Non-web document)</li> <li>• 11.1.4.4.1 (Open Functionality Software)</li> <li>• 11.1.4.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Content in axe Developer Hub is readable and functional when browser zoom is set to 200% of its initial size.
<p><a href="#">1.4.5 Images of Text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.5 (Web)</li> <li>• 10.1.4.5 (Non-web document)</li> <li>• 11.1.4.5.1 (Open Functionality Software)</li> <li>• 11.1.4.5.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: When content can be presented visually using only text, an image of text is not used to present that text.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.10 Reflow</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.10 (Web)</li> <li>• 10.1.4.10 (Non-web document)</li> <li>• 11.1.4.10 (Open Functionality Software)</li> <li>• 11.1.4.10 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide. The following exceptions exist:</p> <ul style="list-style-type: none"> <li>• Information is unavailable when the page is adjusted to an equivalent width of 320px in the header section of start-up page.</li> </ul>
<p><a href="#">1.4.11 Non-text Contrast</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.11 (Web)</li> <li>• 10.1.4.11 (Non-web document)</li> <li>• 11.1.4.11 (Open Functionality Software)</li> <li>• 11.1.4.11 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	<p>Web: The boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background.</p>
<p><a href="#">1.4.12 Text Spacing</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	<p>Web: The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.13 Content on Hover or Focus</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: When additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it.</p>
<p><a href="#">2.4.5 Multiple Ways</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.5 (Web)</li> <li>• 10.2.4.5 (Non-web document) – Does not apply</li> <li>• 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.5 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p>Web: Supports</p>	<p>Web: Multiple ways are available to find other pages in axe Developer Hub.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.4.6 Headings and Labels</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.6 (Web)</li> <li>• 10.2.4.6 (Non-web document)</li> <li>• 11.2.4.6 (Open Functionality Software)</li> <li>• 11.2.4.6 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Headings and labels for form and interactive controls in axe Developer Hub are informative.
<p><a href="#">2.4.7 Focus Visible</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.7 (Web)</li> <li>• 10.2.4.7 (Non-web document)</li> <li>• 11.2.4.7 (Open Functionality Software)</li> <li>• 11.2.4.7 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Throughout axe Developer Hub, it is visually apparent which page element is currently receiving keyboard focus.
<p><a href="#">2.4.11 Focus Not Obscured (Minimum)</a> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: When a user interface component receives keyboard focus, the component is not entirely hidden due to author-created content.
<p><a href="#">2.5.7 Dragging Movements</a> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: In the axe Developer Hub site, there is no dragging movement functionality.



Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.5.8 Target Size (Minimum)</a> (Level AA 2.2 only)  EN 301 549 Criteria – Does not apply  Revised Section 508 – Does not apply</p>	Web: Supports	Web: The size of the target for each clickable control in axe Developer Hub is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control.
<p><a href="#">3.1.2 Language of Parts</a> (Level AA)  Also applies to:  EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.2 (Web)</li> <li>• 10.3.1.2 (Non-web document)</li> <li>• 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>• 11.3.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The language of any section of content in axe Developer Hub that is different from the default language of the page is correctly identified and can be determined programmatically.

Criteria	Conformance Level	Remarks and Explanations
<p><b>3.2.3 Consistent Navigation</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> <li>• 10.3.2.3 (Non-web document) – Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: Navigation patterns that are repeated on web pages in axe Developer Hub are presented in the same relative order each time they appear and do not change order when navigating through the site.
<p><b>3.2.4 Consistent Identification</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.4 (Web)</li> <li>• 10.3.2.4 (Non-web document) – Does not apply</li> <li>• 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.4 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: Labels, names, and text alternatives for content that have the same functionality across multiple web pages in axe Developer Hub are consistently identified.

Criteria	Conformance Level	Remarks and Explanations
<p><b>3.3.3 Error Suggestion</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.3 (Web)</li> <li>• 10.3.3.3 (Non-web document)</li> <li>• 11.3.3.3 (Open Functionality Software)</li> <li>• 11.3.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.
<p><b>3.3.4 Error Prevention (Legal, Financial, Data)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.4 (Web)</li> <li>• 10.3.3.4 (Non-web document)</li> <li>• 11.3.3.4 (Open Functionality Software)</li> <li>• 11.3.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.
<p><b>3.3.8 Accessible Authentication (Minimum)</b> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process in axe Developer Hub unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">4.1.3 Status Messages</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.3 (Web)</li> <li>• 10.4.1.3 (Non-web document)</li> <li>• 11.4.1.3 (Open Functionality Software)</li> <li>• 11.4.1.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: Status messages in axe Developer Hub can be programmatically determined and presented by assistive technologies without receiving focus.</p>

### Table 3: Success Criteria, Level AAA

Notes: Not Applicable. The axe Developer Hub was not assessed for WCAG 2.2 Level AAA conformance.

# Revised Section 508 Report

Notes:

## Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	All functionality in axe Developer Hub is usable without vision.
302.2 With Limited Vision	Supports	All functionality in axe Developer Hub is usable with limited vision.
302.3 Without Perception of Color	Supports	All functionality in axe Developer Hub is usable without perception of color.
302.4 Without Hearing	Supports	axe Developer Hub does not require the use of hearing.
302.5 With Limited Hearing	Supports	axe Developer Hub does not require the use of hearing.
302.6 Without Speech	Supports	axe Developer Hub does not require the use of speech.
302.7 With Limited Manipulation	Supports	All functionality in axe Developer Hub is usable with limited manipulation and does not require fine motor control or simultaneous manual operations.
302.8 With Limited Reach and Strength	Supports	All functionality in axe Developer Hub is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	All functionality in axe Developer Hub is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology.

## Chapter 4: [Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

## Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.2</a> section	See information in WCAG 2.2 section
<b><a href="#">502 Interoperability with Assistive Technology</a></b>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	axe Developer Hub is not platform software, so this requirement does not apply.
502.2.2 No Disruption of Accessibility Features	Supports	axe Developer Hub does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.
<b><a href="#">502.3 Accessibility Services</a></b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Supports	The role, state(s), properties, boundary, name, and description of all the objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology.
502.3.2 Modification of Object Information	Supports	When objects that allow the user to set their respective properties and/or state are present, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.3 Row, Column, and Headers	Supports	When a data table is present in axe Developer Hub, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.4 Values	Supports	When objects are present that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology.
502.3.5 Modification of Values	Supports	When an object is present that allows the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.6 Label Relationships	Supports	When a page contains an element that acts as a label for another element or has an element that is labeled by another element, each labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology.
502.3.7 Hierarchical Relationships	Supports	When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.
502.3.8 Text	Supports	All text, text attributes (such as whether text is static or editable), and text boundaries (such as when text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.
502.3.9 Modification of Text	Supports	When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.10 List of Actions	Supports	When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.
502.3.11 Actions on Objects	Supports	For all the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology.
502.3.12 Focus Cursor	Supports	On all pages, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology.
502.3.13 Modification of Focus Cursor	Supports (Not Applicable)	axe Developer Hub does not allow modification of the focus indicator, text insertion point, or text selector indicator.
502.3.14 Event Notification	Supports	Status messages relevant to user interactions are available to, and presented by, assistive technology.
502.4 Platform Accessibility Features	Not Applicable	The website is not platform software, so this requirement does not apply.
<b><i>503 Applications</i></b>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	axe Developer Hub allows users to set or modify color, contrast, font type and size, and focus cursor.
503.3 Alternative User Interfaces	Not Applicable	axe Developer Hub does not offer an alternative user interface.
<b><i>503.4 User Controls for Captions and Audio Description</i></b>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	axe Developer Hub does not contain media with an audio component that has closed captions.



Criteria	Conformance Level	Remarks and Explanations
503.4.2 Audio Description Controls	Not Applicable	axe Developer Hub does not contain media with a video component that offers audio descriptions.
<b><u>504 Authoring Tools</u></b>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	Not Applicable	axe Developer Hub is not an authoring tool.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	axe Developer Hub is not an authoring tool.
504.2.2 PDF Export	Not Applicable	axe Developer Hub is not an authoring tool.
504.3 Prompts	Not Applicable	axe Developer Hub is not an authoring tool.
504.4 Templates	Not Applicable	axe Developer Hub is not an authoring tool.

## Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b><i>601.1 Scope</i></b>	Heading cell – no response required	Heading cell – no response required
<b><u>602 Support Documentation</u></b>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Not Applicable	Documentation is provided for axe Developer Hub; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.

Criteria	Conformance Level	Remarks and Explanations
602.3 Electronic Support Documentation	Supports	Support documentation for axe Developer Hub is available in digital formats that conform to most WCAG 2.0 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in the <a href="#">Deque Product Docs Site ACR</a> .
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	Documentation for axe Developer Hub is not provided in non-electronic formats.
<a href="#">603 Support Services</a>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Support services provide information on axe Developer Hub’s accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
603.3 Accommodation of Communication Needs	Supports	Support services for axe Developer Hub provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.

# EN 301 549 Report

Notes:

## Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports	All functionality in axe Developer Hub is usable without vision.
4.2.2 Usage with limited vision	Partially Supports	Most functionality in axe Developer Hub is usable with limited vision. Exceptions are noted in: <ul style="list-style-type: none"><li>• 1.4.10. Reflow</li></ul>
4.2.3 Usage without perception of colour	Supports	All functionality in axe Developer Hub is usable without perception of color.
4.2.4 Usage without hearing	Supports (Not Applicable)	axe Developer Hub does not require the use of hearing.
4.2.5 Usage with limited hearing	Supports (Not Applicable)	axe Developer Hub does not require the use of hearing.
4.2.6 Usage with no or limited vocal capability	Supports (Not Applicable)	axe Developer Hub does not require the use of hearing.
4.2.7 Usage with limited manipulation or strength	Supports	All functionality in axe Developer Hub is usable with limited manipulation and does not require fine motor control, simultaneous action, or hand strength.
4.2.8 Usage with limited reach	Supports	All functionality in axe Developer Hub is usable by people with limited reach.
4.2.9 Minimize photosensitive seizure triggers	Supports (Not Applicable)	axe Developer Hub does not contain flashing content or media.
4.2.10 Usage with limited cognition, language or learning	Supports	All functionality in axe Developer Hub is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology.

Criteria	Conformance Level	Remarks and Explanations
4.2.11 Privacy	Supports (Not Applicable)	axe Developer Hub does not provide any specific accessibility features that impact the user's privacy.

## Chapter 5: [Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2 General</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2.1 Closed functionality</b>	See 5.2 through 13	See information in 5.2 through 13
<b>5.1.2.2 Assistive technology</b>	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
<b>5.1.3 Non-visual access</b>	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Supports (Not Applicable)	axe Developer Hub does not have closed functionality and allows the use of an outside or add-on screen reader to provide audio output of visual information.
5.1.3.2 Auditory output delivery including speech	Supports (Not Applicable)	axe Developer Hub does not have closed functionality and allows auditory output (including speech) to be conveyed by outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.3 Auditory output correlation	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so audio information is conveyed using outside or add-on software and/or hardware.
5.1.3.4 Speech output user control	Supports (Not Applicable)	axe Developer Hub does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.5 Speech output automatic interruption	Supports (Not Applicable)	axe Developer Hub does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.6 Speech output for non-text content	Supports (Not Applicable)	axe Developer Hub does not have closed functionality and allows auditory output (including the announcement of text alternatives for images) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.7 Speech output for video information	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, and pre-recorded video content is not needed to enable the use of closed functions. Also, the product allows auditory output (including audio description of visual information in a video) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.8 Masked entry	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so any auditory output of masked characters is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.9 Private access to personal data	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so any auditory output of information considered to be private is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.10 Non-interfering audio output	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so the initiation of any auditory output that may interfere with other audio is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.11 Private listening volume	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.12 Speaker volume	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.13 Volume reset	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.14 Spoken languages	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so the assignment of a particular language to speech output is controlled by outside software (e.g., browsers, operating systems, or screen readers).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.15 Non-visual error identification	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so speech output to identify and/or describe an error is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.16 Receipts, tickets, and transactional outputs	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, so speech output to provide information necessary to complete or verify a transaction is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.4 Functionality closed to text enlargement	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, and all text and images of text can be enlarged by the operating system or browser.
5.1.5 Visual output for auditory information	Supports (Not Applicable)	axe Developer Hub does not have closed functionality, and auditory information is not needed to enable the use of closed functions.
<b>5.1.6 Operation without keyboard interface</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.6.1 Closed functionality</b>	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Supports (Not Applicable)	axe Developer Hub is not closed to keyboards or keyboard interfaces.
5.1.7 Access without speech	Supports (Not Applicable)	axe Developer Hub does not require speech to enable the use of any functionality.
5.2 Activation of accessibility features	Supports	Any documented accessibility feature that meets a specific need can be activated without relying on any motor or sensory input related to that need.
5.3 Biometrics	Supports (Not Applicable)	axe Developer Hub does not use biological characteristics for identification or to control any functionality.

Criteria	Conformance Level	Remarks and Explanations
5.4 Preservation of accessibility information during conversion	Supports (Not Applicable)	axe Developer Hub does not have functionality that converts information or communication from one format to another.
<b>5.5 Operable parts</b>	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Supports (Not Applicable)	axe Developer Hub is a web application and has no physical parts.
5.5.2 Operable parts discernibility	Supports (Not Applicable)	axe Developer Hub is a web application and has no physical parts.
<b>5.6 Locking or toggle controls</b>	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Supports (Not Applicable)	axe Developer Hub has no physical locking or toggle controls.
5.6.2 Visual status	Supports (Not Applicable)	axe Developer Hub has no physical locking or toggle controls.
5.7 Key repeat	Supports (Not Applicable)	axe Developer Hub has no physical keyboard or keypad, so it has no key repeat function.
5.8 Double-strike key acceptance	Supports (Not Applicable)	axe Developer Hub has no physical keyboard or keypad, so it has no functionality related to accepting identical keystrokes that occur within a specific timeframe.
5.9 Simultaneous user actions	Supports (Not Applicable)	axe Developer Hub has no functionality requiring simultaneous actions (such as having to press multiple keys at the same time) with no alternative.

## **Chapter [6: ICT with Two-Way Voice Communication](#)**

Notes: The ICT covered by this report does not have any functionality that supports two-way communication. As such, the requirements of this chapter do not apply.

## **Chapter [7: ICT with Video Capabilities](#)**

Notes: The ICT covered by this report does not have any functionality that supports video capabilities. As such, the requirements of this chapter do not apply.



## Chapter [8: Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

## Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Notes: The ICT covered by this report is a web application. As such, its accessibility requirements are covered in the [WCAG 2.2](#) section.

## Chapter [10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>10.0 General (informative)</b>	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See <a href="#">WCAG 2.2</a> section	See information in WCAG 2.2 section
10.5 Caption positioning	Not Applicable	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.
10.6 Audio description timing	Not Applicable	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.

## Chapter [11: Software](#)

Notes: The ICT covered by this report is a web application, and it is not an authoring tool. As such, its accessibility requirements are covered in Chapter 9 and by reference the [WCAG 2.2](#) section. Thus, the requirements of this chapter do not apply.

## Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>12.1 Product documentation</b>	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	Documentation is provided for axe Developer Hub; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
12.1.2 Accessible documentation	Supports	Documentation provided for axe Developer Hub is available in digital formats that conform to most WCAG 2.1 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in a separate report that is available at <a href="#">Deque Product Docs Site ACR</a> .
<b>12.2 Support Services</b>	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Support services provide information on axe Developer Hub’s accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
12.2.3 Effective communication	Supports	Support services for axe Developer Hub provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.

Criteria	Conformance Level	Remarks and Explanations
12.2.4 Accessible documentation	Supports	Documentation provided by support services for axe Developer Hub is available in digital formats that conform to most WCAG 2.1 success criteria, so most of the documentation and the information it contains are accessible to people with disabilities. Exceptions are noted in the <a href="#">Deque Product Docs Site ACR</a> .

**Chapter [13: ICT Providing Relay or Emergency Service Access](#)**

Notes: The ICT covered by this report does have any functionality that supports two-way communication, including the provision of relay services or access to emergency services. As such, the requirements of this chapter do not apply.

**Legal Disclaimer (Company)**

*Include your company legal disclaimer here, if needed.*