



Deque Systems Inc. Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version:

axe Monitor v.8.5

Report Date:

December 10, 2025

Product Description:

axe Monitor® is a part of the axe accessibility testing suite of tools from Deque Systems, Inc. It is an enterprise-level scanning and reporting tool used to evaluate the web accessibility state of entire websites. axe Monitor will dynamically scan, monitor, and report on the accessibility status of an entire site and help users pinpoint improvements or what has declined over time and drill-down to perform root cause analysis.

Contact Information:

Deque Systems,
info@deque.com

Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed between October and November 2025.

“Voluntary Product Accessibility Template” and “VPAT” are registered service marks of the Information Technology Industry Council (ITI)

Evaluation Methods Used:

A combination of automated and manual testing techniques was employed for the accessibility assessment.

- Manual assessment was performed using Chrome 142.0.7444.176 on Windows 11 and included exclusive use of the keyboard.
- Automated tools used included axe Auditor and the axe DevTools browser extension using axe-core version 4.10.2.
- Assistive technologies employed included NVDA v.2025.3.1.

Scope of Evaluation

The following pages were evaluated as part of the assessment on which this report is based:

- Admin - Permissions Settings
- Admin - Presets - step 1
- Admin - Shared Scripts
- Admin - Team Access
- Admin - View Scan Groups
- Assign Scans to Multiple Teams - Access - step 1
- Assign Scans to Multiple Teams - Review - Step 2
- Assign Scans to Single Team - Access - step 1
- Assign Scans to Single Team - Review - Step 2
- Create Scan - Advanced Settings
- Create Scan - Basic Settings
- Create Scan - Common Components
- Create Scan - General
- Create Scan - Preset
- Create Scan - Review
- Create Scan - Schedule
- Create Scan - Teams & Groups
- Issues Page
- New scan group modal - General - Step 1
- New Scan Group Modal - Add Teams - Step 3
- New Scan Group Modal - Let's add some scans - Step 2

- New Scan Group Modal - Review - Step 4
- Pages Screen
- Presets - Advanced - step 3
- Presets - Common Components - step 2
- Presets - General - step 1
- Presets - Review - step 4
- Presets - Successfully created
- Scan Overview
- Scans
- Shared Script - step 1
- Shared Scripts - Successfully created
- Shared Scripts - Environment Variables - step 2
- Shared Scripts - Review - step 3

In addition to the pages listed above, the following components that appear on multiple pages were tested as part of the assessment:

- Add Common Component (Create Scan - Common components)
- Add Common Component Modal (Presets step 2)
- Add Connection (Create scan - Advanced Settings)
- Add Environment Variable (Create Scan - General)
- Add Environment Variable (Shared script step 2)
- Add Script & View Script Modal (Create Scan - General)
- Add shared script (Create Scan - General)
- Assign to (Issues)
- Bulk Import Modal (Admin- Team Access)
- Configure fields for issues export (Issues & pages)
- Delete Modal (Issues & Pages)
- Delete Modal (Scans)
- Favorite Modal (Scans)
- Filter Modal (Scans)
- Filters Modal (Issues)
- Filters Modal (Pages)

- Footer
- Header
- Manage Issue Modal (Issues)
- Manage Page Modal (Pages)
- Review Apply Shared Session Script Modal (Scans)
- Review Apply Shared User Flow Script Modal (Scans)
- Review Assign Preset Modal (Scans)
- Select Runs (Issues & Pages)
- Select Shared Script Modal (Scans)
- Share Public link - share scan (scan Overview)
- Share to Jira Cloud: Step 1 Choose template
- Share to Jira Cloud: Step 2 Set values
- Unfavorite Modal (Scans)
- Unsaved changes Modal (Create scan)
- Upload Issues modal (Scan Overview)

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline | Included In Report |
|--|---|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.2 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 | (Yes) |
| EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03) | (Yes) |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| 1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none">• 9.1.1.1 (Web)• 10.1.1.1 (Non-web document)• 11.1.1.1.1 (Open Functionality Software)• 11.1.1.1.2 (Closed Functionality Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | Web: Supports | Web: Informative non-text content (such as an image) has a text alternative that conveys the information presented by that content. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| <p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Prerecorded audio-only and/or video-only files are not present in axe Monitor. |
| <p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Prerecorded videos are not present in axe Monitor. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------|---|
| <p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Prerecorded videos are not present in axe Monitor, so audio description is not required. |
| <p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Partially Supports | <p>Web: Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. The following exceptions exist:</p> <ul style="list-style-type: none"> • A heading level is out of order. This occurs on the following page: Scan Overview. Text that visually functions as a heading is not marked up as a heading, so the structure of the content is not properly conveyed to people who are blind and/or use a screen reader. This occurs on the following page: Scans. • Element has children which are not allowed in Header section. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| <p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: The reading and navigation order of axe Monitor is logical and intuitive. |
| <p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| <p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements in axe Monitor. |
| <p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: axe Monitor does not contain audio content that plays automatically for more than 3 seconds. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| <p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: All functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). |
| <p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| <p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | Web: axe Monitor does not have any character keyboard shortcuts that use only letter (including upper- and lower-case letters), punctuation, number, or symbol characters. |
| <p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Web: Supports | Web: When a time limit exists, the user is given options to extend that time limit. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------|---|
| <p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Partially Supports | <p>Web: On most pages where moving, blinking, scrolling, or auto-updating information is present, that information can be paused, stopped, hidden, or otherwise controlled by the user. The following exceptions exist:</p> <ul style="list-style-type: none"> • The user cannot pause, stop, or hide auto-updating content, so people who cannot read text quickly, have attention deficit disorders or other cognitive disabilities, or use a screen reader may not be able to read or understand the content before it updates. This occurs on the following pages: Scans, Scan Overview, Create scan flow -> General step 1, Shared script flow – step 2 - Environmental variables. |
| <p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: axe Monitor does not contain flashing content. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| <p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | Web: Supports | Web: A method is provided to skip navigation and other page elements that are repeated on all pages of axe Monitor. |
| <p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: axe Monitor pages have descriptive and informative titles. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------|--|
| <p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Partially Supports | <p>Web: The navigation order of most interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability. The following exceptions exist:</p> <ul style="list-style-type: none"> • Keyboard focus or touch screen swiping goes to an element that is hidden or empty, so people who use the keyboard to navigate content (including screen reader users) may become disoriented or confused. This occurs on the following page: Create Scan - Step 6 - Teams & Groups. |
| <p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | <p>Web: The purpose of each link in axe Monitor can be determined from the link text alone or from the link text and its programmatic context.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| <p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | Web: All functionality in axe Monitor that can be operated with a pointer can be operated with single-point actions. |
| <p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | <p>Web: For functionality in axe Monitor that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> • The action is not triggered on the down event. • The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion. • The up-event reverses any outcome of the preceding down-event. • Completing the function on the down-event is essential. |
| <p><u>2.5.3 Label in Name</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | Web: For all user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| <p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | Web: Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion. |
| <p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: The language of each page in axe Monitor is correct and can be determined programmatically. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Web: Supports | Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur. |
| 3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Web: Supports | Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time. |
| 3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Web: Supports | Web: On pages in axe Monitor that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| <u>3.3.1 Error Identification</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Web: Supports | Web: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error. |
| <u>3.3.2 Labels or Instructions</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Web: Supports | Web: For form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected. |
| <u>3.3.7 Redundant Entry</u> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Web: Supports | Web: No processes on axe Monitor require the user required to enter information previously entered as part of the same process. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| <p><u>4.1.1 Parsing</u> (Level A)</p> <p>Also applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer “Supports”</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: For the WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata . This criterion was removed from WCAG 2.2. |
| <p><u>4.1.2 Name, Role, Value</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: The name, role, state, and value of all the user interface components can be programmatically determined. |

Table 2: Success Criteria, Level AA

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| <p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Live multimedia with audio is not present in axe Monitor, so synchronized captions are not required. |
| <p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Prerecorded multimedia is not present in axe Monitor, so audio descriptions are not required. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| <p><u>1.3.4 Orientation</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | Web: Orientation of the content in axe Monitor is not locked to either landscape or portrait. |
| <p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | Web: The purpose for each input field in axe Monitor that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components. |
| <p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Text and images of regular text in axe Monitor have the required color contrast ratio with their backgrounds. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------|--|
| <p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Web: Partially Supports | <p>Web: Most content is readable and functional when browser zoom is set to 200% of its initial size. The following exceptions exist:</p> <ul style="list-style-type: none"> Content is lost, clipped, or obscured when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to that content. This occurs on the following pages and modal: Upload Issues modal (Scan Overview); Create Scan - Step 1 - General. |
| <p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Web: Supports | <p>Web: When content can be presented visually using only text, an image of text is not used to present that text.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------------------|---|
| <p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Web: Partially Supports</p> | <p>Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide. The following exceptions exist:</p> <ul style="list-style-type: none"> • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content does not fit horizontally, so it cannot be viewed without scrolling. People with low vision who increase the size of text and other content using the browser zoom may have difficulty accessing the content that can only be seen by horizontal scrolling. This occurs on the following Modal: Select Shared Script Modal (Scans). • When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content overlaps and cannot be seen or understood, so the overlapping content is not available to people with low vision who increase the size of text and other content using the browser zoom. This occurs on the following pages and modal: Upload Issues modal (Scan Overview); Scans; Create Scan - Step 1 - General; Scan Overview; Admin - Presets; Admin - Shared Scripts. |
| <p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Web: Supports</p> | <p>Web: The boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| <p><u>1.4.12 Text Spacing</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | Web: The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality. |
| <p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Supports | Web: When additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it. |
| <p><u>2.4.5 Multiple Ways</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | Web: Supports | Web: Multiple ways are available to find other pages in axe Monitor. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| <p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Headings and labels for form and interactive controls in axe Monitor are informative. |
| <p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: Throughout axe Monitor, it is visually apparent which page element is currently receiving keyboard focus. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------|---|
| <u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Web: Partially Supports | Web: When most user interface components receive keyboard focus, each component is not entirely hidden due to author-created content. The following exceptions exist: <ul style="list-style-type: none"> A focused element is completely covered by other author-created content, which may cause people who use the keyboard to navigate content to become disoriented. This occurs on the following page: Create Scan - Step 7 - Schedule. |
| <u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Web: Supports | Web: In the axe Monitor site, there is no dragging movement functionality. |
| <u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Web: Supports | Web: The size of the target for each clickable control in axe Monitor is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control. |
| <u>3.1.2 Language of Parts</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Web: Supports | Web: The language of any section of content in axe Monitor that is different from the default language of the page is correctly identified and can be determined programmatically. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| <p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | Web: Supports | Web: Navigation patterns that are repeated on web pages in axe Monitor are presented in the same relative order each time they appear and do not change order when navigating through the site. |
| <p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | Web: Supports | Web: Labels, names, and text alternatives for content that have the same functionality across multiple web pages in axe Monitor are consistently identified. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| <u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server. |
| <u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Web: Supports | Web: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed. |
| <u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Web: Supports | Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process in axe Monitor unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Web site. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------|---|
| <p>4.1.3 Status Messages (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Web: Partially Supports | <p>Web: In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exceptions exist:</p> <ul style="list-style-type: none"> A status message is not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status message or they may not hear it in a timely fashion. This occurs on the following page: Create Scan - Step 6 - Teams & Groups. |

Table 3: Success Criteria, Level AAA

Notes: Not Applicable. axe Monitor was not assessed for WCAG 2.2 Level AAA conformance.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------|--------------------|--|
| 302.1 Without Vision | Partially Supports | Most functionality is usable without vision. Exceptions are noted in: <ul style="list-style-type: none">• 1.3.1 Info and Relationships• 2.4.3 Focus Order |
| 302.2 With Limited Vision | Partially Supports | Most functionality is usable with limited vision. Exceptions are noted in: <ul style="list-style-type: none">• 1.3.1 Info and Relationships• 1.4.4 Resize Text• 2.4.3 Focus Order |
| 302.3 Without Perception of Color | Supports | All functionality is usable without perception of color. |
| 302.4 Without Hearing | Supports | All functionality is usable without hearing. |
| 302.5 With Limited Hearing | Supports | All functionality is usable with limited hearing. |
| 302.6 Without Speech | Not Applicable | The product does not require the use of speech. |
| 302.7 With Limited Manipulation | Partially Supports | Most functionality is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in: <ul style="list-style-type: none">• 2.4.3 Focus Order |
| 302.8 With Limited Reach and Strength | Supports | All functionality is usable with limited reach and strength. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Partially Supports | <p>Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in:</p> <ul style="list-style-type: none"> • 1.3.1 Info and Relationships • 2.2.2 Pause, Stop, Hide • 2.4.3 Focus Order |

Chapter 4: [Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter 5: [Software](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------------------------|---|
| 501.1 Scope – Incorporation of WCAG 2.0 AA | See WCAG 2.2 section | See information in WCAG 2.2 section |
| 502 Interoperability with Assistive Technology | Heading cell – no response required | Heading cell – no response required |
| 502.2.1 User Control of Accessibility Features | Not Applicable | axe Monitor is not platform software, so this requirement does not apply. |
| 502.2.2 No Disruption of Accessibility Features | Supports | axe Monitor does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features. |
| 502.3 Accessibility Services | Heading cell – no response required | Heading cell – no response required |
| 502.3.1 Object Information | Supports | The role, state(s), properties, boundary, name, and description of each object is programmatically determinable, so those attributes can be perceived and conveyed by assistive technology. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 502.3.2 Modification of Object Information | Supports | When objects that allow the user to set their respective properties and/or state are present, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology. |
| 502.3.3 Row, Column, and Headers | Supports | When a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology. |
| 502.3.4 Values | Supports | When objects are present that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology. |
| 502.3.5 Modification of Values | Supports | When an object is present that allows the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology. |
| 502.3.6 Label Relationships | Supports | When a page contains an element that acts as a label for another element or has an element that is labeled by another element, each labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. |

| Criteria | Conformance Level | Remarks and Explanations |
|------------------------------------|--------------------|--|
| 502.3.7 Hierarchical Relationships | Partially Supports | When a page contains elements that have a parent-child relationship, those relationships are programmatically determinable in almost all of the pages, so they can be perceived by assistive technology. Exceptions are notes in: 1.3.1 Info and Relationships |
| 502.3.8 Text | Supports | All text, text attributes (such as whether text is static or editable), and text boundaries (such as text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology. |
| 502.3.9 Modification of Text | Supports | When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology. |
| 502.3.10 List of Actions | Supports | When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology. |
| 502.3.11 Actions on Objects | Supports | When one or more actions may be performed on an element, all of those actions are available programmatically, so that each action can be performed using assistive technology. |
| 502.3.12 Focus Cursor | Supports | On all the pages, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|---|
| 502.3.13 Modification of Focus Cursor | Supports (Not Applicable) | axe Monitor does not allow modification of the focus indicator, text insertion point, or text selector indicator. |
| 502.3.14 Event Notification | Partially Supports | In most cases, status messages relevant to user interactions are available to, and presented by, assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> 4.1.3 Status Messages |
| 502.4 Platform Accessibility Features | Not Applicable | The website is not platform software, so this requirement does not apply. |
| <u>503 Applications</u> | Heading cell – no response required | Heading cell – no response required |
| 503.2 User Preferences | Supports | axe Monitor allows users to set or modify color, contrast, font type and size, and focus cursor. |
| 503.3 Alternative User Interfaces | Not Applicable | axe Monitor does not offer an alternative user interface. |
| <i>503.4 User Controls for Captions and Audio Description</i> | Heading cell – no response required | Heading cell – no response required |
| 503.4.1 Caption Controls | Not Applicable | axe Monitor does not contain media with an audio component that has closed captions. |
| 503.4.2 Audio Description Controls | Not Applicable | axe Monitor does not contain media with a video component that offers audio descriptions. |
| <u>504 Authoring Tools</u> | Heading cell – no response required | Heading cell – no response required |
| 504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”) | Not Applicable | axe Monitor is not an authoring tool. |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable | axe Monitor is not an authoring tool. |
| 504.2.2 PDF Export | Not Applicable | axe Monitor is not an authoring tool. |
| 504.3 Prompts | Not Applicable | axe Monitor is not an authoring tool. |
| 504.4 Templates | Not Applicable | axe Monitor is not an authoring tool. |

Chapter 6: [Support Documentation and Services](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 601.1 Scope | Heading cell – no response required | Heading cell – no response required |
| 602 Support Documentation | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | Not Applicable | Documentation is provided for axe Monitor; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology. |
| 602.3 Electronic Support Documentation | Supports | Support documentation for axe Monitor is available in digital formats that conform to all WCAG 2.0 success criteria, so all of the documentation and the information it contains are accessible to people with disabilities. Reference report is available at Deque Product Docs Site ACR . |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Not Applicable | Documentation for axe Monitor is not provided in non-electronic formats. |
| 603 Support Services | Heading cell – no response required | Heading cell – no response required |
| 603.2 Information on Accessibility and Compatibility Features | Supports | Support services provide information on axe Monitor's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them. |
| 603.3 Accommodation of Communication Needs | Supports | Support services for axe Monitor provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support. |

EN 301 549 Report

Notes:

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| 4.2.1 Usage without vision | Partially Supports | Most functionality is usable without vision. Exceptions are noted in: <ul style="list-style-type: none">1.3.1 Info and Relationships2.4.3 Focus Order4.1.3 Status Messages |
| 4.2.2 Usage with limited vision | Partially Supports | Most functionality is usable with limited vision. Exceptions are noted in: <ul style="list-style-type: none">1.3.1 Info and Relationships1.4.4 Resize Text1.4.10 Reflow2.4.3 Focus Order |
| 4.2.3 Usage without perception of colour | Supports | All functionality is usable without perception of color. |
| 4.2.4 Usage without hearing | Supports | All functionality is usable without hearing. |
| 4.2.5 Usage with limited hearing | Supports | All functionality is usable with limited hearing. |
| 4.2.6 Usage with no or limited vocal capability | Not Applicable | The product does not require the use of speech or other vocal output. |
| 4.2.7 Usage with limited manipulation or strength | Partially Supports | Most functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in: <ul style="list-style-type: none">2.4.3 Focus Order |
| 4.2.8 Usage with limited reach | Supports | All functionality is usable by people with limited reach. |
| 4.2.9 Minimize photosensitive seizure triggers | Supports | All functionality may be operated in a mode that minimizes the potential for triggering photosensitive seizures. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---------------------------|--|
| 4.2.10 Usage with limited cognition, language or learning | Partially Supports | Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> • 1.3.1 Info and Relationships • 1.4.10 Reflow • 2.2.2 Pause, Stop, Hide • 2.4.3 Focus Order • 4.1.3 Status Messages |
| 4.2.11 Privacy | Supports (Not Applicable) | axe Monitor does not provide any specific accessibility features that impact the user's privacy. |

Chapter [5: Generic Requirements](#)

Notes: The ICT covered by this report do not have closed functionality, biometrics, operable parts, Locking or toggle controls. As such, the requirements of this chapter do not apply.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: The ICT covered by this report does not have any functionality that supports two-way communication. As such, the requirements of this chapter do not apply.

Chapter [7: ICT with Video Capabilities](#)

Notes: The ICT covered by this report does not have any functionality that supports video capabilities. As such, the requirements of this chapter do not apply.

Chapter [8: Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Notes: The ICT covered by this report is a web application. As such, its accessibility requirements are covered in the [WCAG 2.2](#) section.

Chapter [10: Non-Web Documents](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------|--------------------------------------|--|
| 10.0 General (informative) | Heading cell – no response required | Heading cell – no response required |
| 10.1.1.1 through 10.4.1.3 | See WCAG 2.2 section | See information in WCAG 2.2 section |
| 10.5 Caption positioning | Not Applicable | Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio. |
| 10.6 Audio description timing | Not Applicable | Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio. |

Chapter [11: Software](#)

Notes: The ICT covered by this report is a web application, and it is not an authoring tool. As such, its accessibility requirements are covered in Chapter 9 and by reference the [WCAG 2.2](#) section. Thus, the requirements of this chapter do not apply.

Chapter [12: Documentation and Support Services](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|---|
| 12.1 Product documentation | Heading cell – no response required | Heading cell – no response required |
| 12.1.1 Accessibility and compatibility features | Not Applicable | Documentation is provided for axe Monitor; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|--|
| 12.1.2 Accessible documentation | Supports | Documentation provided for axe Monitor is available in digital formats that conform to all WCAG 2.1 success criteria, so all of the documentation and the information it contains are accessible to people with disabilities. Reference report is available at Deque Product Docs Site ACR . |
| 12.2 Support Services | Heading cell – no response required | Heading cell – no response required |
| 12.2.2 Information on accessibility and compatibility features | Supports | Support services provide information on axe Monitor’s accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them. |
| 12.2.3 Effective communication | Supports | Support services for axe Monitor provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support. |
| 12.2.4 Accessible documentation | Supports | Documentation provided by support services for axe Monitor is available in digital formats that conform to all WCAG 2.1 success criteria, so all of the documentation and the information it contains are accessible to people with disabilities. Reference report is available at Deque Product Docs Site ACR . |

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: The ICT covered by this report does have any functionality that supports two-way communication, including the provision of relay services or access to emergency services. As such, the requirements of this chapter do not apply.

Legal Disclaimer (Company)

This document is provided 'AS IS' for informational purposes only and is accurate to the best of our knowledge as of the publication date listed on the first page. All product and company names mentioned herein may be trademarks or registered trademarks of their respective owners.