

# Deque Systems Inc. Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

#### Name of Product/Version:

axe for Designers Plugin for Figma v. 2024.1.1

#### **Report Date:**

April 2024

### **Product Description:**

axe for Designers is a plugin for Figma to help make designs accessible and conformant with WCAG. This hybrid application offers features like A11y Scan (previously auto scan), WCAG color contrast checker, focus order, target size, and annotations. It also provides real-time suggestions for design improvements.

#### **Contact Information:**

Deque Systems 13800 Coppermine Road Herndon, VA 20171 703-225-0380

#### Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed between March and April 2024.

<sup>&</sup>quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

#### **Evaluation Methods Used:**

- Manual assessment was performed using Chrome v. 129.0.6668.71 on Windows 11 and included exclusive use of the keyboard.
- Assistive technologies employed included NVDA v.2023.2.

## **Scope of Evaluation**

The following screens/pages were evaluated as part of the assessment on which this report is based.

- Axe For Designers Let's start creating inclusive designs!
- A11y Check
- Color Contrast
- Focus Order
- Annotation
- Feedback
- Login Page
- Create Free Account
- Account Page

## **Applicable Standards/Guidelines**

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline   | Included In Report |
|--|--------------------|
| Web Content Accessibility Guidelines 2.0   | Level A (Yes)      |
|  | Level AA (Yes)     |
|  | Level AAA (No)     |
| Web Content Accessibility Guidelines 2.1   | Level A (Yes)      |
|  | Level AA (Yes)     |
|  | Level AAA (No)     |
| Web Content Accessibility Guidelines 2.2   | Level A (Yes)      |
|  | Level AA (Yes)     |
|  | Level AAA (No)     |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018    | (Yes)              |
| EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND | (Yes)              |
| EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)     | ·                  |

#### **Terms**

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- **Not Applicable**: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

## WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.2 Conformance Requirements</u>.

#### Table 1: Success Criteria, Level A

| Criteria   | Conformance Level            | Remarks and Explanations                             |
|--|------------------------------|--|
| 1.1.1 Non-text Content (Level A)                             | Software: Partially Supports | Software: Most informative non-text content has text |
| Also applies to:   |                              | alternatives or a text alternate that serves an      |
| EN 301 549 Criteria  |                              | equivalent purpose. The following exception exists:  |
| • 9.1.1.1 (Web)  |                              | A decorative image is not hidden from screen         |
| <ul> <li>10.1.1.1 (Non-web document)</li> </ul>              |                              | readers, so people who are blind and/or use a        |
| <ul> <li>11.1.1.1 (Open Functionality Software)</li> </ul>   |                              | screen reader will have to navigate through          |
| <ul> <li>11.1.1.2 (Closed Functionality Software)</li> </ul> |                              | unnecessary and duplicative text. This occurs        |
| • 11.8.2 (Authoring Tool)                                    |                              | on the following screen: Annotation.                 |
| • 12.1.2 (Product Docs)                                      |                              |  |
| • 12.2.4 (Support Docs)                                      |                              |  |
| Revised Section 508  |                              |  |
| • 501 (Web)(Software)  |                              |  |
| • 504.2 (Authoring Tool)                                     |                              |  |
| • 602.3 (Support Docs)                                       |                              |  |

| Criteria  | Conformance Level       | Remarks and Explanations                           |
|---|-------------------------|--|
| 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) | Software: Supports (Not | Software: Prerecorded audio-only and/or video-only |
| Also applies to:  | Applicable)             | files are not present.                             |
| EN 301 549 Criteria                                     |                         |  |
| • 9.1.2.1 (Web)   |                         |  |
| <ul> <li>10.1.2.1 (Non-web document)</li> </ul>         |                         |  |
| • 11.1.2.1.1 (Open Functionality Software)              |                         |  |
| • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)       |                         |  |
| • 11.8.2 (Authoring Tool)                               |                         |  |
| • 12.1.2 (Product Docs)                                 |                         |  |
| • 12.2.4 (Support Docs)                                 |                         |  |
| Revised Section 508                                     |                         |  |
| • 501 (Web)(Software)                                   |                         |  |
| • 504.2 (Authoring Tool)                                |                         |  |
| 602.3 (Support Docs)                                    |                         |  |
| 1.2.2 Captions (Prerecorded) (Level A)                  | Software: Supports (Not | Software: Prerecorded videos are not present.      |
| Also applies to:  | Applicable)             |  |
| EN 301 549 Criteria                                     |                         |  |
| • 9.1.2.2 (Web)   |                         |  |
| • 10.1.2.2 (Non-web document)                           |                         |  |
| • 11.1.2.2 (Open Functionality Software)                |                         |  |
| • 11.1.2.2 (Closed Software)                            |                         |  |
| • 11.8.2 (Authoring Tool)                               |                         |  |
| • 12.1.2 (Product Docs)                                 |                         |  |
| • 12.2.4 (Support Docs)                                 |                         |  |
| Revised Section 508                                     |                         |  |
| • 501 (Web)(Software)                                   |                         |  |
| • 504.2 (Authoring Tool)                                |                         |  |
| 602.3 (Support Docs)                                    |                         |  |

| Criteria   | Conformance Level       | Remarks and Explanations                            |
|--|-------------------------|---|
| 2.3 Audio Description or Media Alternative (Prerecorded) (Level A) | Software: Supports (Not | Software: Prerecorded videos are not present, so    |
| Also applies to:   | Applicable)             | audio description is not required.                  |
| EN 301 549 Criteria  |                         |   |
| • 9.1.2.3 (Web)  |                         |   |
| <ul> <li>10.1.2.3 (Non-web document)</li> </ul>                    |                         |   |
| <ul> <li>11.1.2.3.1 (Open Functionality Software)</li> </ul>       |                         |   |
| <ul> <li>11.1.2.3.2 (Closed Software)</li> </ul>                   |                         |   |
| • 11.8.2 (Authoring Tool)  |                         |   |
| • 12.1.2 (Product Docs)  |                         |   |
| • 12.2.4 (Support Docs)  |                         |   |
| Revised Section 508  |                         |   |
| • 501 (Web)(Software)  |                         |   |
| <ul> <li>504.2 (Authoring Tool)</li> </ul>                         |                         |   |
| 602.3 (Support Docs)   |                         |   |
| 3.1 Info and Relationships (Level A)                               | Software: Supports      | Software: Information, structure, and relationships |
| Also applies to:   |                         | conveyed through visual presentation can be         |
| EN 301 549 Criteria  |                         | programmatically determined or are available in tex |
| • 9.1.3.1 (Web)  |                         |   |
| <ul> <li>10.1.3.1 (Non-web document)</li> </ul>                    |                         |   |
| <ul> <li>11.1.3.1.1 (Open Functionality Software)</li> </ul>       |                         |   |
| • 11.1.3.1.2 (Closed Software)                                     |                         |   |
| <ul> <li>11.8.2 (Authoring Tool)</li> </ul>                        |                         |   |
| • 12.1.2 (Product Docs)  |                         |   |
| • 12.2.4 (Support Docs)  |                         |   |
| Revised Section 508  |                         |   |
| • 501 (Web)(Software)  |                         |   |
| • 504.2 (Authoring Tool)   |                         |   |
| • 602.3 (Support Docs)   |                         |   |

| Criteria  | Conformance Level  | Remarks and Explanations                              |
|---|--------------------|---|
| 1.3.2 Meaningful Sequence (Level A)             | Software: Supports | Software: The reading and navigation order is logical |
| Also applies to:                                |                    | and intuitive.  |
| EN 301 549 Criteria                             |                    |   |
| • 9.1.3.2 (Web)                                 |                    |   |
| <ul> <li>10.1.3.2 (Non-web document)</li> </ul> |                    |   |
| • 11.1.3.2.1 (Open Functionality Software)      |                    |   |
| • 11.1.3.2.2 (Closed Software)                  |                    |   |
| • 11.8.2 (Authoring Tool)                       |                    |   |
| • 12.1.2 (Product Docs)                         |                    |   |
| • 12.2.4 (Support Docs)                         |                    |   |
| Revised Section 508                             |                    |   |
| • 501 (Web)(Software)                           |                    |   |
| • 504.2 (Authoring Tool)                        |                    |   |
| • 602.3 (Support Docs)                          |                    |   |
| 1.3.3 Sensory Characteristics (Level A)         | Software: Supports | Software: Instructions to operate and/or understand   |
| Also applies to:                                |                    | content do not rely on sensory characteristics of     |
| EN 301 549 Criteria                             |                    | components such as shape, color, size, and visual     |
| • 9.1.3.3 (Web)                                 |                    | location.   |
| <ul> <li>10.1.3.3 (Non-web document)</li> </ul> |                    |   |
| • 11.1.3.3 (Open Functionality Software)        |                    |   |
| • 11.1.3.3 (Closed Software)                    |                    |   |
| • 11.8.2 (Authoring Tool)                       |                    |   |
| • 12.1.2 (Product Docs)                         |                    |   |
| • 12.2.4 (Support Docs)                         |                    |   |
| Revised Section 508                             |                    |   |
| • 501 (Web)(Software)                           |                    |   |
| • 504.2 (Authoring Tool)                        |                    |   |
| 602.3 (Support Docs)                            |                    |   |

| Criteria   | Conformance Level       | Remarks and Explanations                           |
|--|-------------------------|--|
| 1.4.1 Use of Color (Level A)                               | Software: Supports      | Software: Color is not used as the only method to  |
| Also applies to:   |                         | convey information, indicate an action, prompt a   |
| EN 301 549 Criteria  |                         | response, or distinguish visual elements.          |
| • 9.1.4.1 (Web)  |                         |  |
| • 10.1.4.1 (Non-web document)                              |                         |  |
| <ul> <li>11.1.4.1 (Open Functionality Software)</li> </ul> |                         |  |
| • 11.1.4.1 (Closed Software)                               |                         |  |
| • 11.8.2 (Authoring Tool)                                  |                         |  |
| • 12.1.2 (Product Docs)                                    |                         |  |
| • 12.2.4 (Support Docs)                                    |                         |  |
| Revised Section 508  |                         |  |
| • 501 (Web)(Software)                                      |                         |  |
| • 504.2 (Authoring Tool)                                   |                         |  |
| • 602.3 (Support Docs)                                     |                         |  |
| 1.4.2 Audio Control (Level A)                              | Software: Supports (Not | Software: The axe for Designers plugin does not    |
| Also applies to:   | Applicable)             | contain audio content that plays automatically for |
| EN 301 549 Criteria  |                         | more than 3 seconds.                               |
| • 9.1.4.2 (Web)  |                         |  |
| • 10.1.4.2 (Non-web document)                              |                         |  |
| • 11.1.4.2 (Open Functionality Software)                   |                         |  |
| • 11.1.4.2 (Closed Software)                               |                         |  |
| • 11.8.2 (Authoring Tool)                                  |                         |  |
| • 12.1.2 (Product Docs)                                    |                         |  |
| • 12.2.4 (Support Docs)                                    |                         |  |
| Revised Section 508  |                         |  |
| • 501 (Web)(Software)                                      |                         |  |
| • 504.2 (Authoring Tool)                                   |                         |  |
| • 602.3 (Support Docs)                                     |                         |  |

| Criteria   | Conformance Level            | Remarks and Explanations   |
|--|------------------------------|--|
| 2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria  • 9.2.1.1 (Web)  • 10.2.1.1 (Non-web document)  • 11.2.1.1.1 (Open Functionality Software)  • 11.2.1.1.2 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs) | Software: Supports           | Software: Functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard). If shortcut keys and accesskeys are present, they do not conflict with existing browser and screen reader shortcuts.  |
| 2.1.2 No Keyboard Trap (Level A)  Also applies to: EN 301 549 Criteria  9.2.1.2 (Web)  10.2.1.2 (Non-web document)  11.2.1.2 (Open Functionality Software)  11.2.1.2 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)                | Software: Partially Supports | Software: In most cases, keyboard focus is not locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard. The following exception exists:  • There is a keyboard trap, so people who use a keyboard to navigate content will get stuck in one place on the screen. This occurs on the "X" (close) button on each plugin screen when navigating with Shift-Tab. |

| Criteria   | Conformance Level       | Remarks and Explanations                                |
|--|-------------------------|---|
| 2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)          | Software: Supports (Not | Software: The axe for Designers plugin does not have    |
| Also applies to:   | Applicable)             | any character keyboard shortcuts that use only letter   |
| EN 301 549 Criteria  |                         | (including upper- and lower-case letters), punctuation, |
| • 9.2.1.4 (Web)  |                         | number, or symbol characters.                           |
| • 10.2.1.4 (Non-web document)                                |                         |   |
| <ul> <li>11.2.1.4.1 (Open Functionality Software)</li> </ul> |                         |   |
| • 11.2.1.4.2 (Closed Software)                               |                         |   |
| • 11.8.2 (Authoring Tool)                                    |                         |   |
| • 12.1.2 (Product Docs)                                      |                         |   |
| • 12.2.4 (Support Docs)                                      |                         |   |
| Revised Section 508 – Does not apply                         |                         |   |
| 2.2.1 Timing Adjustable (Level A)                            | Software: Supports      | Software: If a time limit exists, the user is given     |
| Also applies to:   |                         | options to turn off, adjust, or extend that time limit. |
| EN 301 549 Criteria  |                         |   |
| • 9.2.2.1 (Web)  |                         |   |
| <ul> <li>10.2.2.1 (Non-web document)</li> </ul>              |                         |   |
| <ul> <li>11.2.2.1 (Open Functionality Software)</li> </ul>   |                         |   |
| • 11.2.2.1 (Closed Software)                                 |                         |   |
| • 11.8.2 (Authoring Tool)                                    |                         |   |
| • 12.1.2 (Product Docs)                                      |                         |   |
| • 12.2.4 (Support Docs)                                      |                         |   |
| Revised Section 508  |                         |   |
| • 501 (Web)(Software)  |                         |   |
| • 504.2 (Authoring Tool)                                     |                         |   |
| • 602.3 (Support Docs)                                       |                         |   |

| Criteria   | Conformance Level       | Remarks and Explanations                                 |
|--|-------------------------|--|
| 2.2.2 Pause, Stop, Hide (Level A)                          | Software: Supports (Not | Software: The axe for Designers plugin does not          |
| Also applies to:   | Applicable)             | contain content that moves, blinks, scrolls, or in which |
| EN 301 549 Criteria  |                         | information is updated automatically.                    |
| • 9.2.2.2 (Web)  |                         |  |
| <ul> <li>10.2.2.2 (Non-web document)</li> </ul>            |                         |  |
| <ul> <li>11.2.2.2 (Open Functionality Software)</li> </ul> |                         |  |
| • 11.2.2.2 (Closed Software)                               |                         |  |
| • 11.8.2 (Authoring Tool)                                  |                         |  |
| • 12.1.2 (Product Docs)                                    |                         |  |
| • 12.2.4 (Support Docs)                                    |                         |  |
| Revised Section 508  |                         |  |
| • 501 (Web)(Software)                                      |                         |  |
| <ul> <li>504.2 (Authoring Tool)</li> </ul>                 |                         |  |
| • 602.3 (Support Docs)                                     |                         |  |
| 2.3.1 Three Flashes or Below Threshold (Level A)           | Software: Supports (Not | Software: The axe for Designers plugin does not          |
| Also applies to:   | Applicable)             | contain flashing content.                                |
| EN 301 549 Criteria  |                         |  |
| • 9.2.3.1 (Web)  |                         |  |
| <ul><li>10.2.3.1 (Non-web document)</li></ul>              |                         |  |
| <ul> <li>11.2.3.1 (Open Functionality Software)</li> </ul> |                         |  |
| • 11.2.3.1 (Closed Software)                               |                         |  |
| • 11.8.2 (Authoring Tool)                                  |                         |  |
| • 12.1.2 (Product Docs)                                    |                         |  |
| • 12.2.4 (Support Docs)                                    |                         |  |
| Revised Section 508  |                         |  |
| • 501 (Web)(Software)                                      |                         |  |
| • 504.2 (Authoring Tool)                                   |                         |  |
| • 602.3 (Support Docs)                                     |                         |  |

| Criteria  | Conformance Level  | Remarks and Explanations                              |
|---|--------------------|---|
| 2.4.1 Bypass Blocks (Level A)   | Software: Supports | Software: Where applicable, a method is provided to   |
| Also applies to:  |                    | skip navigation and other elements that are repeated  |
| EN 301 549 Criteria   |                    | across screens in the axe for Designers plugin.       |
| • 9.2.4.1 (Web)   |                    |   |
| <ul> <li>10.2.4.1 (Non-web document) – Does not apply</li> </ul>            |                    |   |
| <ul> <li>11.2.4.1 (Open Functionality Software) – Does not apply</li> </ul> |                    |   |
| <ul> <li>11.2.4.1 (Closed Software) – Does not apply</li> </ul>             |                    |   |
| • 11.8.2 (Authoring Tool)   |                    |   |
| • 12.1.2 (Product Docs)   |                    |   |
| • 12.2.4 (Support Docs)   |                    |   |
| Revised Section 508   |                    |   |
| • 501 (Web)(Software) – Does not apply to non-web software                  |                    |   |
| • 504.2 (Authoring Tool)  |                    |   |
| <ul> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>   |                    |   |
| 2.4.2 Page Titled (Level A)   | Software: Supports | Software: Each screen in the axe for Designers plugin |
| Also applies to:  |                    | has a descriptive and informative title.              |
| EN 301 549 Criteria   |                    |   |
| • 9.2.4.2 (Web)   |                    |   |
| • 10.2.4.2 (Non-web document)   |                    |   |
| <ul> <li>11.2.4.2 (Open Functionality Software) - Does not apply</li> </ul> |                    |   |
| <ul> <li>11.2.4.2 (Closed Software) – Does not apply</li> </ul>             |                    |   |
| • 11.8.2 (Authoring Tool)   |                    |   |
| • 12.1.2 (Product Docs)   |                    |   |
| • 12.2.4 (Support Docs)   |                    |   |
| Revised Section 508   |                    |   |
| • 501 (Web)(Software)   |                    |   |
| • 504.2 (Authoring Tool)  |                    |   |
| 602.3 (Support Docs)  |                    |   |

| Criteria  | Conformance Level            | Remarks and Explanations   |
|---|------------------------------|--|
| 2.4.3 Focus Order (Level A)  Also applies to:  EN 301 549 Criteria  9.2.4.3 (Web)  10.2.4.3 (Non-web document)  11.2.4.3 (Open Functionality Software)  11.2.4.3 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)   | Software: Partially Supports | Software: The navigation order of most interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability. The following exception exists:  • Keyboard focus is lost or misplaced as a result of user interaction or content update or refresh, so people who use the keyboard to navigate content (including screen reader users) will become disoriented. This occurs or the Focus Order screen. |
| <ul> <li>602.3 (Support Docs)</li> <li>2.4.4 Link Purpose (In Context) (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.2.4.4 (Web)</li> <li>10.2.4.4 (Non-web document)</li> <li>11.2.4.4 (Open Functionality Software)</li> <li>11.2.4.4 (Closed Software</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> | Software: Supports           | Software: The purpose of each link in the axe for Designers plugin can be determined from the link text alone or from the link text and its programmatic context.  |

| Criteria   | Conformance Level  | Remarks and Explanations                                 |
|--|--------------------|--|
| 2.5.1 Pointer Gestures (Level A 2.1 and 2.2)               | Software: Supports | Software: All functionality that can be operated with a  |
| Also applies to:   |                    | pointer can be operated with single-point actions.       |
| EN 301 549 Criteria  |                    |  |
| • 9.2.5.1 (Web)  |                    |  |
| <ul> <li>10.2.5.1 (Non-web document)</li> </ul>            |                    |  |
| <ul> <li>11.2.5.1 (Open Functionality Software)</li> </ul> |                    |  |
| • 11.2.5.1 (Closed Software)                               |                    |  |
| • 11.8.2 (Authoring Tool)                                  |                    |  |
| • 12.1.2 (Product Docs)                                    |                    |  |
| • 12.2.4 (Support Docs)                                    |                    |  |
| Revised Section 508 – Does not apply                       |                    |  |
| 2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)           | Software: Supports | Software: For functionality that can be operated using   |
| Also applies to:   |                    | a single pointer, at least one of the following is true: |
| EN 301 549 Criteria  |                    | The action is not triggered on the down event.           |
| • 9.2.5.2 (Web)  |                    | The action triggers on the up event, and a               |
| <ul> <li>10.2.5.2 (Non-web document)</li> </ul>            |                    | mechanism is available to abort the function             |
| <ul> <li>11.2.5.2 (Open Functionality Software)</li> </ul> |                    | before completion or to undo the function after          |
| • 11.2.5.2 (Closed Software)                               |                    | completion.  |
| • 11.8.2 (Authoring Tool)                                  |                    | The up-event reverses any outcome of the                 |
| • 12.1.2 (Product Docs)                                    |                    | preceding down-event.                                    |
| • 12.2.4 (Support Docs)                                    |                    | Completing the function on the down-event is             |
| Revised Section 508 – Does not apply                       |                    | essential.   |
| 2.5.3 Label in Name (Level A 2.1 and 2.2)                  | Software: Supports | Software: For each user interface component in the       |
| Also applies to:   |                    | axe for Designers plugin that includes a visible text    |
| EN 301 549 Criteria  |                    | label, the accessible name matches (or includes) the     |
| • 9.2.5.3 (Web)  |                    | visible text in the label.                               |
| <ul> <li>10.2.5.3 (Non-web document)</li> </ul>            |                    |  |
| • 11.2.5.3.1 (Open Functionality Software)                 |                    |  |
| • 11.2.5.3.2 (Closed Software)                             |                    |  |
| • 11.8.2 (Authoring Tool)                                  |                    |  |
| • 12.1.2 (Product Docs)                                    |                    |  |
| • 12.2.4 (Support Docs)                                    |                    |  |
| Revised Section 508 – Does not apply                       |                    |  |

| Criteria   | Conformance Level       | Remarks and Explanations                             |
|--|-------------------------|--|
| 2.5.4 Motion Actuation (Level A 2.1 and 2.2)               | Software: Supports (Not | Software: There is no functionality in the axe for   |
| Also applies to:   | Applicable)             | Designers plugin that can be triggered by device     |
| EN 301 549 Criteria  |                         | motion or user motion detected by a device.          |
| • 9.2.5.4 (Web)  |                         |  |
| • 10.2.5.4 (Non-web document)                              |                         |  |
| <ul> <li>11.2.5.4 (Open Functionality Software)</li> </ul> |                         |  |
| • 11.2.5.4 (Closed Software)                               |                         |  |
| • 11.8.2 (Authoring Tool)                                  |                         |  |
| • 12.1.2 (Product Docs)                                    |                         |  |
| • 12.2.4 (Support Docs)                                    |                         |  |
| Revised Section 508 – Does not apply                       |                         |  |
| 3.1.1 Language of Page (Level A)                           | Software: Supports      | Software: The language of each screen in the axe for |
| Also applies to:   |                         | Designers plugin is correct and can be determined    |
| EN 301 549 Criteria  |                         | programmatically.                                    |
| • 9.3.1.1 (Web)  |                         |  |
| • 10.3.1.1 (Non-web document)                              |                         |  |
| • 11.3.1.1.1 (Open Functionality Software)                 |                         |  |
| • 11.3.1.1.2 (Closed Software)                             |                         |  |
| • 11.8.2 (Authoring Tool)                                  |                         |  |
| • 12.1.2 (Product Docs)                                    |                         |  |
| • 12.2.4 (Support Docs)                                    |                         |  |
| Revised Section 508  |                         |  |
| • 501 (Web)(Software)                                      |                         |  |
| • 504.2 (Authoring Tool)                                   |                         |  |
| 602.3 (Support Docs)                                       |                         |  |

| Criteria   | Conformance Level  | Remarks and Explanations  |
|--|--------------------|---|
| 3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria  9.3.2.1 (Web)  10.3.2.1 (Non-web document)  11.3.2.1 (Open Functionality Software)  11.3.2.1 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs) | Software: Supports | Software: When an element in the axe for Designers plugin receives focus, a change in context (such as a substantial change to the screen, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur. |
| 3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria  9.3.2.2 (Web)  10.3.2.2 (Non-web document)  11.3.2.2 (Open Functionality Software)  11.3.2.2 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs) | Software: Supports | Software: When a user inputs information or interacts with a control, it does not result in a substantial change to the screen that could disorient the user unless the user is informed about the change ahead of time.                      |
| 3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply   | Software: Supports | Software: On screens that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other content unless the user changes that order.                     |

| Criteria  | Conformance Level            | Remarks and Explanations  |
|---|------------------------------|---|
| 3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria  9.3.3.1 (Web)  10.3.3.1 (Non-web document)  11.3.3.1.1 (Open Functionality Software)  11.3.3.1.2 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  | Software: Supports           | Software: For form controls in the axe for Designers plugin where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.   |
| Revised Section 508  • 501 (Web)(Software)  • 504.2 (Authoring Tool)  • 602.3 (Support Docs)  3.3.2 Labels or Instructions (Level A)  | Software: Partially Supports | Software: For most form controls/input fields requiring   |
| Also applies to: EN 301 549 Criteria  9.3.3.2 (Web)  10.3.3.2 (Non-web document)  11.3.3.2 (Open Functionality Software)  11.8.2 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs) |                              | user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected. The following exception exists:  • The label for a form field is missing, so the field's purpose is not clear. This occurs on the Focus Order screen.                                  |
| 3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply  | Software: Supports           | Software: If information previously entered by, or provided to, the user is required to be entered again in the same process, that information is either automatically populated or available for the user to select unless the previously entered information is no longer valid or re-entering the information is essential or required to ensure security. |

| Criteria   | Conformance Level            | Remarks and Explanations   |
|--|------------------------------|--|
| 4.1.1 Parsing (Level A) Also applies to: WCAG 2.0 and 2.1 – Always answer "Supports" WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria  • 9.4.1.1 (Web)  • 10.4.1.1 (Non-web document)  • 11.4.1.1.1 (Open Functionality Software)  • 11.4.1.1.2 (Closed Software) – Does not apply  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs) Revised Section 508  • 501 (Web)(Software) | Software: Supports           | Software: For the WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata. This criterion was removed from WCAG 2.2.  |
| <ul><li>504.2 (Authoring Tool)</li><li>602.3 (Support Docs)</li></ul>  |                              |  |
| 4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria  9.4.1.2 (Web)  10.4.1.2 (Non-web document)  11.4.1.2.1 (Open Functionality Software)  11.4.1.2.2 (Closed Software) – Does not apply  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)   | Software: Partially Supports | Software: The name, role, state, and value of most user interface components can be programmatically determined. The following exception exists:  • An input field does not have a programmatic name, so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the purpose of the form field or what input it requires. This occurs on the Focus Order screen. |

## **Table 2: Success Criteria, Level AA**

| Criteria   | Conformance Level       | Remarks and Explanations                           |
|--|-------------------------|--|
| 1.2.4 Captions (Live) (Level AA)                           | Software: Supports (Not | Software: Live multimedia files with audio are not |
| Also applies to:   | Applicable)             | present in the axe for Designers plugin, so        |
| EN 301 549 Criteria  |                         | synchronized captions are not required.            |
| • 9.1.2.4 (Web)  |                         |  |
| • 10.1.2.4 (Non-web document)                              |                         |  |
| <ul> <li>11.1.2.4 (Open Functionality Software)</li> </ul> |                         |  |
| • 11.1.2.4 (Closed Software)                               |                         |  |
| • 11.8.2 (Authoring Tool)                                  |                         |  |
| • 12.1.2 (Product Docs)                                    |                         |  |
| • 12.2.4 (Support Docs)                                    |                         |  |
| Revised Section 508  |                         |  |
| • 501 (Web)(Software)                                      |                         |  |
| • 504.2 (Authoring Tool)                                   |                         |  |
| • 602.3 (Support Docs)                                     |                         |  |
| 1.2.5 Audio Description (Prerecorded) (Level AA)           | Software: Supports (Not | Software: Prerecorded multimedia files are not     |
| Also applies to:   | Applicable)             | present in the axe for Designers plugin, so audio  |
| EN 301 549 Criteria  |                         | descriptions are not required.                     |
| • 9.1.2.5 (Web)  |                         |  |
| • 10.1.2.5 (Non-web document)                              |                         |  |
| • 11.1.2.5 (Open Functionality Software)                   |                         |  |
| • 11.1.2.5 (Closed Software)                               |                         |  |
| • 11.8.2 (Authoring Tool)                                  |                         |  |
| • 12.1.2 (Product Docs)                                    |                         |  |
| • 12.2.4 (Support Docs)                                    |                         |  |
| Revised Section 508  |                         |  |
| • 501 (Web)(Software)                                      |                         |  |
| • 504.2 (Authoring Tool)                                   |                         |  |
| • 602.3 (Support Docs)                                     |                         |  |

| Criteria   | Conformance Level  | Remarks and Explanations                                 |
|--|--------------------|--|
| 1.3.4 Orientation (Level AA 2.1 and 2.2)                   | Software: Supports | Software: Orientation of the content is not locked to    |
| Also applies to:   |                    | either landscape or portrait unless a specific           |
| EN 301 549 Criteria  |                    | orientation is essential for the functionality.          |
| • 9.1.3.4 (Web)  |                    |  |
| • 10.1.3.4 (Non-web document)                              |                    |  |
| <ul> <li>11.1.3.4 (Open Functionality Software)</li> </ul> |                    |  |
| • 11.1.3.4 (Closed Software)                               |                    |  |
| • 11.8.2 (Authoring Tool)                                  |                    |  |
| • 12.1.2 (Product Docs)                                    |                    |  |
| • 12.2.4 (Support Docs)                                    |                    |  |
| Revised Section 508 – Does not apply                       |                    |  |
| 1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)        | Software: Supports | Software: The purpose for each input field that collects |
| Also applies to:   |                    | an individual's personal data is programmatically        |
| EN 301 549 Criteria  |                    | defined based on the WCAG list of Input Purposes for     |
| • 9.1.3.5 (Web)  |                    | User Interface Components.                               |
| <ul> <li>10.1.3.5 (Non-web document)</li> </ul>            |                    |  |
| • 11.1.3.5.1 (Open Functionality Software)                 |                    |  |
| • 11.1.3.5.2 (Closed Software)                             |                    |  |
| • 11.8.2 (Authoring Tool)                                  |                    |  |
| • 12.1.2 (Product Docs)                                    |                    |  |
| • 12.2.4 (Support Docs)                                    |                    |  |
| Revised Section 508 – Does not apply                       |                    |  |
| 1.4.3 Contrast (Minimum) (Level AA)                        | Software: Supports | Software: Text and images of regular text in the axe for |
| Also applies to:   |                    | Designers plugin have the required color contrast ratio  |
| EN 301 549 Criteria  |                    | with their backgrounds.                                  |
| • 9.1.4.3 (Web)  |                    |  |
| • 10.1.4.3 (Non-web document)                              |                    |  |
| • 11.1.4.3 (Open Functionality Software)                   |                    |  |
| • 11.1.4.3 (Closed Software)                               |                    |  |
| • 11.8.2 (Authoring Tool)                                  |                    |  |
| • 12.1.2 (Product Docs)                                    |                    |  |
| • 12.2.4 (Support Docs)                                    |                    |  |
| Revised Section 508  |                    |  |
| • 501 (Web)(Software)                                      |                    |  |
| • 504.2 (Authoring Tool)                                   |                    |  |
| 602.3 (Support Docs)                                       |                    |  |

| Criteria  | Conformance Level  | Remarks and Explanations                                 |
|---|--------------------|--|
| 1.4.4 Resize text (Level AA)                                      | Software: Supports | Software: Content in the axe for Designers plugin is     |
| Also applies to:  |                    | readable and functional when browser zoom is set to      |
| EN 301 549 Criteria   |                    | 200% of its initial size. Text size and screen           |
| • 9.1.4.4 (Web)   |                    | magnification for software, including the axe for        |
| <ul> <li>10.1.4.4 (Non-web document)</li> </ul>                   |                    | Designers plugin are controlled by the operating         |
| <ul> <li>11.1.4.4.1 (Open Functionality Software)</li> </ul>      |                    | system.  |
| • 11.1.4.4.2 (Closed Software)                                    |                    |  |
| • 11.8.2 (Authoring Tool)   |                    |  |
| • 12.1.2 (Product Docs)   |                    |  |
| • 12.2.4 (Support Docs)   |                    |  |
| Revised Section 508   |                    |  |
| • 501 (Web)(Software)   |                    |  |
| • 504.2 (Authoring Tool)  |                    |  |
| • 602.3 (Support Docs)  |                    |  |
| 1.4.5 Images of Text (Level AA)                                   | Software: Supports | Software: When content can be presented visually         |
| Also applies to:  |                    | using only text, an image of text is not used to present |
| EN 301 549 Criteria   |                    | that text.   |
| • 9.1.4.5 (Web)   |                    |  |
| • 10.1.4.5 (Non-web document)                                     |                    |  |
| <ul> <li>11.1.4.5.1 (Open Functionality Software)</li> </ul>      |                    |  |
| <ul> <li>11.1.4.5.2 (Closed Software) – Does not apply</li> </ul> |                    |  |
| • 11.8.2 (Authoring Tool)   |                    |  |
| • 12.1.2 (Product Docs)   |                    |  |
| • 12.2.4 (Support Docs)   |                    |  |
| Revised Section 508   |                    |  |
| • 501 (Web)(Software)   |                    |  |
| • 504.2 (Authoring Tool)  |                    |  |
| <ul> <li>602.3 (Support Docs)</li> </ul>                          |                    |  |

| Criteria  | Conformance Level            | Remarks and Explanations  |
|---|------------------------------|---|
| 1.4.10 Reflow (Level AA 2.1 and 2.2)  Also applies to:  EN 301 549 Criteria  9.1.4.10 (Web)  10.1.4.10 (Non-web document)  11.1.4.10 (Open Functionality Software)  11.1.4.10 (Closed Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  Revised Section 508 – Does not apply   | Software: Supports           | Software: The content of each screen is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide.  |
| 1.4.11 Non-text Contrast (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria  • 9.1.4.11 (Web)  • 10.1.4.11 (Non-web document)  • 11.1.4.11 (Open Functionality Software)  • 11.1.4.11 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508 – Does not apply | Software: Partially Supports | Software: Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background. The following exception exists:  • The focus indicator of an interactive element (like a button or input field) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving when the interactive element is receiving focus. This occurs on the Header component present on most screens. |
| 1.4.12 Text Spacing (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria  • 9.1.4.12 (Web)  • 10.1.4.12 (Non-web document)  • 11.1.4.12 (Open Functionality Software)  • 11.1.4.12 (Closed Software)  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs)  Revised Section 508 – Does not apply      | Software: Supports           | Software: The spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality.  |

| Criteria   | Conformance Level  | Remarks and Explanations                            |
|--|--------------------|---|
| 1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)                      | Software: Supports | Software: When additional content is triggered by   |
| Also applies to:   |                    | pointer hover or keyboard focus, that additional    |
| EN 301 549 Criteria  |                    | content can be dismissed and hovered over, and the  |
| • 9.1.4.13 (Web)   |                    | content persists until the user dismisses it.       |
| • 10.1.4.13 (Non-web document)   |                    |   |
| <ul> <li>11.1.4.13 (Open Functionality Software)</li> </ul>                  |                    |   |
| • 11.1.4.13 (Closed Software)  |                    |   |
| • 11.8.2 (Authoring Tool)  |                    |   |
| • 12.1.2 (Product Docs)  |                    |   |
| • 12.2.4 (Support Docs)  |                    |   |
| Revised Section 508 – Does not apply   |                    |   |
| 2.4.5 Multiple Ways (Level AA)   | Software: Supports | Software: Multiple ways are available to find other |
| Also applies to:   |                    | screens in the axe for Designers plugin.            |
| EN 301 549 Criteria  |                    |   |
| • 9.2.4.5 (Web)  |                    |   |
| <ul> <li>10.2.4.5 (Non-web document) – Does not apply</li> </ul>             |                    |   |
| <ul> <li>11.2.4.5 (Open Functionality Software) – Does not apply</li> </ul>  |                    |   |
| <ul> <li>11.2.4.5 (Closed Software) – Does not apply</li> </ul>              |                    |   |
| • 11.8.2 (Authoring Tool)  |                    |   |
| • 12.1.2 (Product Docs)  |                    |   |
| • 12.2.4 (Support Docs)  |                    |   |
| Revised Section 508  |                    |   |
| <ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul> |                    |   |
| • 504.2 (Authoring Tool)   |                    |   |
| • 602.3 (Support Docs) – Does not apply to non-web docs                      |                    |   |

| Conformance Level            | Remarks and Explanations   |
|------------------------------|--|
| Software: Partially Supports | Software: Most headings and labels for form and                                    |
|                              | interactive controls in the axe for Designers plugin are                           |
|                              | informative. The following exceptions exist:                                       |
|                              | <ul> <li>A label for a control or form input field does</li> </ul>                 |
|                              | not convey the purpose of the control or   |
|                              | input, so users may not understand what the  |
|                              | control does or what data to enter, especially                                     |
|                              | people with cognitive or learning disabilities                                     |
|                              | and people who are blind and/or use a screen                                       |
|                              | reader. This occurs on the Focus Order screen.                                     |
|                              | An iframe's title is not descriptive or  |
|                              | meaningful, so people who are blind and/or   |
|                              | use a screen reader will not know the purpose                                      |
|                              | of the iframe without entering and exploring                                       |
|                              | it. This occurs on the iframe containing the plugin, so it applies to all screens. |
| Coftware Cure ante           | 1 1  |
| Software: Supports           | Software: It is visually apparent which element in the                             |
|                              | axe for Designers plugin is currently receiving keyboard focus.                    |
|                              | Reybodiu locus.  |
|                              |  |
|                              |  |
|                              |  |
|                              |  |
|                              |  |
|                              |  |
|                              |  |
|                              |  |
|                              |  |
|                              |  |
| Coftwara: Cupports           | Software: When a user interface component in the axe                               |
| Software. Supports           | for Designers plugin receives keyboard focus, the                                  |
|                              | component is not entirely hidden due to author-                                    |
|                              | created content.   |
|                              |  |

| Criteria  | Conformance Level            | Remarks and Explanations   |
|---|------------------------------|--|
| 2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply    | Software: Does Not Support   | Software: Most, if not all, functionality that uses a dragging movement cannot be achieved by a single pointer without dragging, excepting functions for which dragging is essential or the functionality is determined by the user agent and not modified by the author. The following exception exists:  • Some functionality relies on a dragging movement with no single-pointer, single touch alternative, making it difficult or impossible for persons with motor difficulties and users of assistive technology to perform the gesture on Focus Order screen.  |
| 2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Software: Partially Supports | Software: The size of the target for most clickable controls is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control. The following exceptions exist:  • Multiple target hit areas do not meet minimum 24x24 pixel size or spacing. making it difficult for users with hand tremors and those who have difficulty with fine motor movement to activate them accurately. This occurs on the following screens: A11y Check, Color Contrast, and Annotation. |

| Criteria  | Conformance Level  | Remarks and Explanations  |
|---|--------------------|---|
| 3.1.2 Language of Parts (Level AA)  Also applies to: EN 301 549 Criteria  9.3.1.2 (Web)  10.3.1.2 (Non-web document)  11.3.1.2 (Open Functionality Software) – Does not apply  11.3.1.2 (Closed Software) – Does not apply  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs)   | Software: Supports | Software: The language of each section of content that is different from the default language of the screen is correctly identified and can be determined programmatically.   |
| 3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria  9.3.2.3 (Web)  10.3.2.3 (Non-web document) – Does not apply  11.3.2.3 (Open Functionality Software) – Does not apply  11.3.2.3 (Closed Software) – Does not apply  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software) – Does not apply to non-web software  504.2 (Authoring Tool)  602.3 (Support Docs) – Does not apply to non-web docs | Software: Supports | Software: Navigation patterns that are repeated on screens in the axe for Designers plugin are presented in the same relative order each time they appear and do not change order when navigating through the plugin. |

| Criteria   | Conformance Level  | Remarks and Explanations                                |
|--|--------------------|---|
| 3.2.4 Consistent Identification (Level AA)                                   | Software: Supports | Software: Labels, names, and text alternatives for      |
| Also applies to:   |                    | content that have the same functionality across         |
| EN 301 549 Criteria  |                    | multiple screens in the axe for Designers plugin are    |
| • 9.3.2.4 (Web)  |                    | consistently identified.                                |
| <ul> <li>10.3.2.4 (Non-web document) – Does not apply</li> </ul>             |                    |   |
| <ul> <li>11.3.2.4 (Open Functionality Software) – Does not apply</li> </ul>  |                    |   |
| <ul> <li>11.3.2.4 (Closed Software) – Does not apply</li> </ul>              |                    |   |
| • 11.8.2 (Authoring Tool)  |                    |   |
| • 12.1.2 (Product Docs)  |                    |   |
| • 12.2.4 (Support Docs)  |                    |   |
| Revised Section 508  |                    |   |
| <ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul> |                    |   |
| • 504.2 (Authoring Tool)   |                    |   |
| <ul> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>    |                    |   |
| 3.3.3 Error Suggestion (Level AA)  | Software: Supports | Software: If input errors are automatically detected in |
| Also applies to:   |                    | the axe for Designers plugin, suggestions are provided  |
| EN 301 549 Criteria  |                    | in text for correcting the input in a timely and        |
| • 9.3.3.3 (Web)  |                    | accessible manner before the data is submitted.         |
| • 10.3.3.3 (Non-web document)  |                    |   |
| <ul> <li>11.3.3.3 (Open Functionality Software)</li> </ul>                   |                    |   |
| • 11.3.3.3 (Closed Software)   |                    |   |
| • 11.8.2 (Authoring Tool)  |                    |   |
| • 12.1.2 (Product Docs)  |                    |   |
| • 12.2.4 (Support Docs)  |                    |   |
| Revised Section 508  |                    |   |
| • 501 (Web)(Software)  |                    |   |
| • 504.2 (Authoring Tool)   |                    |   |
| • 602.3 (Support Docs)   |                    |   |

| Criteria   | Conformance Level            | Remarks and Explanations   |
|--|------------------------------|--|
| 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria  9.3.3.4 (Web)  10.3.3.4 (Non-web document)  11.3.3.4 (Open Functionality Software)  11.8.2 (Authoring Tool)  12.1.2 (Product Docs)  12.2.4 (Support Docs)  Revised Section 508  501 (Web)(Software)  504.2 (Authoring Tool)  602.3 (Support Docs) | Software: Supports           | Software: If the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verified, or confirmed.  |
| 3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply  | Software: Supports           | Software: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the plugin.   |
| 4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria  • 9.4.1.3 (Web)  • 10.4.1.3 (Non-web document)  • 11.4.1.3 (Open Functionality Software)  • 11.4.1.3 (Closed Software) – Does not apply  • 11.8.2 (Authoring Tool)  • 12.1.2 (Product Docs)  • 12.2.4 (Support Docs) Revised Section 508 – Does not apply       | Software: Partially Supports | Software: In most cases, status messages can be programmatically determined and presented by assistive technologies without receiving focus. The following exceptions exist:  • Some status messages are not automatically announced by the screen reader, so people who are blind and/or use a screen reader or other assistive technology may completely miss the status messages or they may not hear them in a timely fashion. This occurs on the following screens: A11y Check, Color Contrast, Annotation, and Feedback. |

# **Table 3: Success Criteria, Level AAA**

Notes: Not Applicable. The axe for Designers Plugin for Figma was not assessed for WCAG 2.2 Level AAA conformance.

# **Revised Section 508 Report**

Notes:

## **Chapter 3: Functional Performance Criteria (FPC)**

| Criteria                          | Conformance Level         | Remarks and Explanations  |
|-----------------------------------|---------------------------|---|
| 302.1 Without Vision              | Partially Supports        | Most functionality in the axe for Designers plugin is usable without vision. Exceptions are noted in:  1.1.1 Non-text Content 2.1.2 No Keyboard Trap 2.4.3 Focus Order 2.4.6 Headings and Labels 4.1.2 Name, Role, Value  |
| 302.2 With Limited Vision         | Partially Supports        | Most functionality in the axe for Designers plugin is usable with limited vision. Exceptions are noted in:  • 1.1.1 Non-text Content  • 2.1.2 No Keyboard Trap  • 2.4.3 Focus Order  • 2.4.6 Headings and Labels  • 3.3.2 Labels or Instructions  • 4.1.2 Name, Role, Value |
| 302.3 Without Perception of Color | Supports                  | All functionality in the axe for Designers plugin is usable without perception of color.  |
| 302.4 Without Hearing             | Supports (Not Applicable) | The axe for Designers plugin does not require the use of hearing.   |
| 302.5 With Limited Hearing        | Supports (Not Applicable) | The axe for Designers plugin does not require the use of hearing.   |
| 302.6 Without Speech              | Supports (Not Applicable) | The axe for Designers plugin does not require the use of speech.  |

| Criteria   | Conformance Level  | Remarks and Explanations   |
|--|--------------------|--|
| 302.7 With Limited Manipulation                                | Partially Supports | Most functionality in the axe for Designers plugin is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in:  • 2.1.2 No Keyboard Trap  • 2.4.3 Focus Order  • 2.4.6 Headings and Labels   |
| 302.8 With Limited Reach and Strength                          | Supports           | All functionality in the axe for Designers plugin is usable with limited reach and strength.   |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Partially Supports | Most functionality in the axe for Designers plugin is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in:  1.1.1 Non-text Content 2.4.3 Focus Order 2.4.6 Headings and Labels 3.3.2 Labels or Instructions 4.1.2 Name, Role, Value |

# **Chapter 4: <u>Hardware</u>**

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

# **Chapter 5: Software**

| Criteria  | Conformance Level                   | Remarks and Explanations  |
|---|-------------------------------------|---|
| 501.1 Scope – Incorporation of WCAG 2.0 AA      | See WCAG 2.2 section                | See information in WCAG 2.2 section   |
| 502 Interoperability with Assistive Technology  | Heading cell – no response required | Heading cell – no response required   |
| 502.2.1 User Control of Accessibility Features  | Not Applicable                      | The axe for Designers plugin is not platform software, so this requirement does not apply.  |
| 502.2.2 No Disruption of Accessibility Features | Supports                            | The axe for Designers plugin does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.  |
| 502.3 Accessibility Services                    | Heading cell – no response required | Heading cell – no response required   |
| 502.3.1 Object Information                      | Partially Supports                  | The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology.  Exceptions are noted in:  • 4.1.2 Name, Role, Value             |
| 502.3.2 Modification of Object Information      | Supports                            | When objects that allow the user to set their respective properties and/or state are present, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology.                       |
| 502.3.3 Row, Column, and Headers                | Supports                            | When a data table is present in the axe for Designers plugin, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology. |

| Criteria                           | Conformance Level | Remarks and Explanations   |
|------------------------------------|-------------------|--|
| 502.3.4 Values                     | Supports          | When objects are present that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology.                                   |
| 502.3.5 Modification of Values     | Supports          | When an object is present that allows the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology.   |
| 502.3.6 Label Relationships        | Supports          | When a screen contains an element that acts as a label for another element or has an element that is labeled by another element, each labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. |
| 502.3.7 Hierarchical Relationships | Supports          | When a screen contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.  |
| 502.3.8 Text                       | Supports          | All text, text attributes (such as whether text is static or editable), and text boundaries (such as when text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.                    |
| 502.3.9 Modification of Text       | Supports          | When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.   |

| Criteria   | Conformance Level                   | Remarks and Explanations   |
|--|-------------------------------------|--|
| 502.3.10 List of Actions                               | Supports                            | When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.  |
| 502.3.11 Actions on Objects                            | Supports                            | For all the elements on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology.  |
| 502.3.12 Focus Cursor                                  | Supports                            | On all screens, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology. |
| 502.3.13 Modification of Focus Cursor                  | Supports (Not Applicable)           | The axe for Designers plugin does not allow modification of the focus indicator, text insertion point, or text selector indicator.   |
| 502.3.14 Event Notification                            | Partially Supports                  | In most cases, status messages relevant to user interactions are available to, and presented by, assistive technology.  Exceptions are noted in:  • 4.1.3 Status Messages  |
| 502.4 Platform Accessibility Features                  | Not Applicable                      | The axe for Designers plugin is not platform software, so this requirement does not apply.   |
| 503 Applications                                       | Heading cell – no response required | Heading cell – no response required  |
| 503.2 User Preferences                                 | Supports                            | The axe for Designers plugin allows users to set or modify color, contrast, font type and size, and focus cursor.  |
| 503.3 Alternative User Interfaces                      | Not Applicable                      | The axe for Designers plugin does not offer an alternative user interface.   |
| 503.4 User Controls for Captions and Audio Description | Heading cell – no response required | Heading cell – no response required  |

| Criteria  | Conformance Level                   | Remarks and Explanations   |
|---|-------------------------------------|--|
| 503.4.1 Caption Controls  | Not Applicable                      | The axe for Designers plugin does not contain media with an audio component that has closed captions.      |
| 503.4.2 Audio Description Controls  | Not Applicable                      | The axe for Designers plugin does not contain media with a video component that offers audio descriptions. |
| 504 Authoring Tools   | Heading cell – no response required | Heading cell – no response required  |
| 504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")   | Not Applicable                      | The axe for Designers plugin is not an authoring tool.   |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable                      | The axe for Designers plugin is not an authoring tool.   |
| 504.2.2 PDF Export  | Not Applicable                      | The axe for Designers plugin is not an authoring tool.   |
| 504.3 Prompts   | Not Applicable                      | The axe for Designers plugin is not an authoring tool.   |
| 504.4 Templates   | Not Applicable                      | The axe for Designers plugin is not an authoring tool.   |

# **Chapter 6: Support Documentation and Services**

Notes:

| Criteria                                       | Conformance Level                   | Remarks and Explanations   |
|--|-------------------------------------|--|
| 601.1 Scope                                    | Heading cell – no response required | Heading cell – no response required  |
| 602 Support Documentation                      | Heading cell – no response required | Heading cell – no response required  |
| 602.2 Accessibility and Compatibility Features | Not Applicable                      | Documentation is provided for the axe for Designers plugin; however, as a plugin that runs in a web environment, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology. |

| Criteria   | Conformance Level                   | Remarks and Explanations  |
|--|-------------------------------------|---|
| 602.3 Electronic Support Documentation                           | Partially Supports                  | Most documentation provided for the axe for Designers plugin is available in at least one digital format that conforms to WCAG 2.0, so the documentation and the information it contains are accessible to people with disabilities. Exceptions include:  • An HTML list element contains content that is visually presented as a part of the list, but the content's HTML coding does not include it programmatically in that list, so the structure of the list is not correctly conveyed to people who are blind and/or use a screen reader or other assistive technology. This occurs on the "How to Use" page in the axe for Designers portal. |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Not Applicable                      | Documentation for the axe for Designers plugin is not provided in non-electronic formats.   |
| 603 Support Services   | Heading cell – no response required | Heading cell – no response required   |
| 603.2 Information on Accessibility and Compatibility Features    | Supports                            | Support services provide information on the axe for Designers plugin's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.   |
| 603.3 Accommodation of Communication Needs                       | Supports                            | Support services for the axe for Designers plugin provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.  |

## **EN 301 549 Report**

Notes:

## **Chapter 4: Functional Performance Statements (FPS)**

Notes: Figma is web-based design software, and the axe for Designers plugin for Figma is classified as software that functions within a web environment. All conformance levels and any issues cited in this table reflect the results of testing with a web browser.

| Criteria  | Conformance Level         | Remarks and Explanations   |
|---|---------------------------|--|
| 4.2.1 Usage without vision                      | Partially Supports        | Most functionality in the axe for Designers plugin is usable without vision. Exceptions are noted in:  1.1.1 Non-text Content 2.1.2 No Keyboard Trap 2.4.3 Focus Order 2.4.6 Headings and Labels 4.1.2 Name, Role, Value 4.1.3 Status Messages                               |
| 4.2.2 Usage with limited vision                 | Partially Supports        | Most functionality in the axe for Designers plugin is usable with limited vision. Exceptions are noted in:  • 1.1.1 Non-text Content  • 1.4.11 Non-text Contrast  • 2.1.2 No Keyboard Trap  • 2.4.3 Focus Order  • 2.4.6 Headings and Labels  • 3.3.2 Labels or Instructions |
| 4.2.3 Usage without perception of colour        | Partially Supports        | Most functionality is usable without perception of color. Exceptions are noted in:  • 1.4.11 Non-text Contrast   |
| 4.2.4 Usage without hearing                     | Supports (Not Applicable) | The axe for Designers plugin does not require the use of hearing.  |
| 4.2.5 Usage with limited hearing                | Supports (Not Applicable) | The axe for Designers plugin does not require the use of hearing.  |
| 4.2.6 Usage with no or limited vocal capability | Supports (Not Applicable) | The axe for Designers plugin does not require the use of speech.   |

| Criteria  | Conformance Level         | Remarks and Explanations  |
|---|---------------------------|---|
| 4.2.7 Usage with limited manipulation or strength         | Partially Supports        | Most functionality in the axe for Designers plugin is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in:  • 2.1.2 No Keyboard Trap • 2.4.3 Focus Order • 2.4.6 Headings and Labels   |
| 4.2.8 Usage with limited reach                            | Supports                  | All functionality in the axe for Designers plugin is usable by people with limited reach.   |
| 4.2.9 Minimize photosensitive seizure triggers            | Supports (Not Applicable) | The axe for Designers plugin does not contain flashing content or media.  |
| 4.2.10 Usage with limited cognition, language or learning | Partially Supports        | Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in:  • 1.1.1 Non-text Content  • 2.4.3 Focus Order  • 2.4.6 Headings and Labels  • 3.3.2 Labels or Instructions  • 4.1.2 Name, Role, Value  • 4.1.3 Status Messages |
| 4.2.11 Privacy  | Supports (Not Applicable) | The axe for Designers plugin does not provide any specific accessibility features that impact the user's privacy.   |

## **Chapter 5: Generic Requirements**

Notes: Figma is web-based design software, and the axe for Designers plugin for Figma is classified as software that functions within a web environment. All conformance levels and any issues cited in this table reflect the results of testing with a web browser.

| Criteria  | Conformance Level                   | Remarks and Explanations  |
|---|-------------------------------------|---|
| 5.1 Closed functionality                          | Heading cell – no response required | Heading cell – no response required   |
| 5.1.2 General                                     | Heading cell – no response required | Heading cell – no response required   |
| 5.1.2.1 Closed functionality                      | See 5.2 through 13                  | See information in 5.2 through 13   |
| 5.1.2.2 Assistive technology                      | See 5.1.3 through 5.1.6             | See information in 5.1.3 through 5.1.6  |
| 5.1.3 Non-visual access                           | Heading cell – no response required | Heading cell – no response required   |
| 5.1.3.1 Audio output of visual information        | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality and allows the use of an outside or add-on screen reader to provide audio output of visual information.   |
| 5.1.3.2 Auditory output delivery including speech | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality and allows auditory output (including speech) to be conveyed by outside mechanisms (including speakers, handsets, and earbuds).   |
| 5.1.3.3 Auditory output correlation               | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality, so audio information is conveyed using outside or add-on software and/or hardware.   |
| 5.1.3.4 Speech output user control                | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds). |

| Criteria                                     | Conformance Level         | Remarks and Explanations  |
|--|---------------------------|---|
| 5.1.3.5 Speech output automatic interruption | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) outside mechanisms (including speakers, handsets, and earbuds).   |
| 5.1.3.6 Speech output for non-text content   | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality and allows auditory output (including the announcement of text alternatives for images) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).   |
| 5.1.3.7 Speech output for video information  | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality, and prerecorded video content is not needed to enable the use of closed functions. Also, the product allows auditory output (including audio description of visual information in a video) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds). |
| 5.1.3.8 Masked entry                         | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality, so any auditory output of masked characters is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).  |

| Criteria                                | Conformance Level         | Remarks and Explanations  |
|---|---------------------------|---|
| 5.1.3.9 Private access to personal data | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality, so any auditory output of information considered to be private is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds). |
| 5.1.3.10 Non-interfering audio output   | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality, so the initiation of any auditory output that may interfere with other audio is controlled by outside software (e.g., browsers, operating systems, or screen readers).                                   |
| 5.1.3.11 Private listening volume       | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds). |
| 5.1.3.12 Speaker volume                 | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds). |
| 5.1.3.13 Volume reset                   | Supports (Not Applicable) | The axe for Designers plugin does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds). |

| Criteria  | Conformance Level                   | Remarks and Explanations   |
|---|-------------------------------------|--|
| 5.1.3.14 Spoken languages                             | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality, so the assignment of a particular language to speech output is controlled by outside software (e.g., browsers, operating systems, or screen readers).                           |
| 5.1.3.15 Non-visual error identification              | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality, so speech output to identify and/or describe an error is controlled by outside software (e.g., browsers, operating systems, or screen readers).                                 |
| 5.1.3.16 Receipts, tickets, and transactional outputs | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality, so speech output to provide information necessary to complete or verify a transaction is controlled by outside software (e.g., browsers, operating systems, or screen readers). |
| 5.1.4 Functionality closed to text enlargement        | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality, and all text and images of text can be enlarged by the operating system or browser.   |
| 5.1.5 Visual output for auditory information          | Supports (Not Applicable)           | The axe for Designers plugin does not have closed functionality, and auditory information is not needed to enable the use of closed functions.   |
| 5.1.6 Operation without keyboard interface            | Heading cell – no response required | Heading cell – no response required  |
| 5.1.6.1 Closed functionality                          | See 5.1.3.1 through 5.1.3.16        | See information in 5.1.3.1 through 5.1.3.16  |
| 5.1.6.2 Input focus                                   | Supports (Not Applicable)           | The axe for Designers plugin is not closed to keyboards or keyboard interfaces.  |
| 5.1.7 Access without speech                           | Supports (Not Applicable)           | The axe for Designers plugin does not require speech to enable the use of any functionality.   |

| Criteria  | Conformance Level                   | Remarks and Explanations  |
|---|-------------------------------------|---|
| 5.2 Activation of accessibility features                        | Supports                            | Any documented accessibility feature that meets a specific need can be activated without relying on any motor or sensory input related to that need.                          |
| 5.3 Biometrics  | Supports (Not Applicable)           | The axe for Designers plugin does not use biological characteristics for identification or to control any functionality.  |
| 5.4 Preservation of accessibility information during conversion | Supports (Not Applicable)           | The axe for Designers plugin does not have functionality that converts information or communication from one format to another.   |
| 5.5 Operable parts  | Heading cell – no response required | Heading cell – no response required   |
| 5.5.1 Means of operation  | Supports (Not Applicable)           | The axe for Designers plugin is software that functions within a web environment and has no physical parts.   |
| 5.5.2 Operable parts discernibility                             | Supports (Not Applicable)           | The axe for Designers plugin is software that functions within a web environment and has no physical parts.   |
| 5.6 Locking or toggle controls                                  | Heading cell – no response required | Heading cell – no response required   |
| 5.6.1 Tactile or auditory status                                | Supports (Not Applicable)           | The axe for Designers plugin has no physical locking or toggle controls.  |
| 5.6.2 Visual status   | Supports (Not Applicable)           | The axe for Designers plugin has no physical locking or toggle controls.  |
| 5.7 Key repeat  | Supports (Not Applicable)           | The axe for Designers plugin has no physical keyboard or keypad, so it has no key repeat function.  |
| 5.8 Double-strike key acceptance                                | Supports (Not Applicable)           | The axe for Designers plugin has no physical keyboard or keypad, so it has no functionality related to accepting identical keystrokes that occur within a specific timeframe. |
| 5.9 Simultaneous user actions                                   | Supports (Not Applicable)           | The axe for Designers plugin has no functionality requiring simultaneous actions (such as having to press multiple keys at the same time) with no alternative.                |

#### **Chapter 6: ICT with Two-Way Voice Communication**

Notes: The ICT covered by this report does not have any functionality that supports two-way communication. As such, the requirements of this chapter do not apply.

#### **Chapter 7: ICT with Video Capabilities**

Notes: The ICT covered by this report does not have any functionality that supports video capabilities. As such, the requirements of this chapter do not apply.

#### Chapter 8: Hardware

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

#### Chapter 9: Web (see WCAG 2.2 section)

Notes: The ICT covered by this report is a hybrid application. As such, its accessibility requirements are covered in the WCAG 2.2 section.

#### **Chapter 10: Non-Web Documents**

Notes:

| Criteria                      | Conformance Level                   | Remarks and Explanations   |
|-------------------------------|-------------------------------------|--|
| 10.0 General (informative)    | Heading cell – no response required | Heading cell – no response required  |
| 10.1.1.1 through 10.4.1.3     | See WCAG 2.2 section                | See information in WCAG 2.2 section  |
| 10.5 Caption positioning      | Supports (Not Applicable)           | Standalone documents are not available to be downloaded from the axe for Designers plugin. |
| 10.6 Audio description timing | Supports (Not Applicable)           | Standalone documents are not available to be downloaded from the axe for Designers plugin. |

## Chapter 11: Software

Notes: Figma is web-based design software, and the axe for Designers plugin for Figma is classified as software that functions within a web environment. All conformance levels and any issues cited in this table reflect the results of testing with a web browser.

| Criteria  | Conformance Level                             | Remarks and Explanations  |
|---|---|---|
| 11.0 General (informative)  | Heading cell – no response required           | Heading cell – no response required   |
| 11.1.1.1 through 11.4.1.3   | See WCAG 2.2 section                          | See information in WCAG 2.2 section   |
| 11.5 Interoperability with assistive technology   | Heading cell – no response required           | Heading cell – no response required   |
| 11.5.1 Closed functionality   | Heading cell – no response required           | Heading cell – no response required   |
| 11.5.2 Accessibility services   | Heading cell – no response required           | Heading cell – no response required   |
| 11.5.2.1 Platform accessibility service support for software that provides a user interface | See 11.5.2.5 through 11.5.2.17                | See information in 11.5.2.5 through 11.5.2.17   |
| 11.5.2.2 Platform accessibility service support for assistive technologies                  | See 11.5.2.5 through 11.5.2.17                | See information in 11.5.2.5 through 11.5.2.17   |
| 11.5.2.3 Use of accessibility services  | See information in 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17   |
| 11.5.2.4 Assistive technology   | Not Applicable                                | The axe for Designers plugin is not platform software, so this requirement does not apply.  |
| 11.5.2.5 Object information   | Partially Supports                            | The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology.  Exceptions are noted in:  4.1.2 Name, Role, Value               |
| 11.5.2.6 Row, column, and headers   | Supports                                      | When a data table is present in the axe for Designers plugin, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology. |

| Criteria                                 | Conformance Level | Remarks and Explanations   |
|--|-------------------|--|
| 11.5.2.7 Values                          | Supports          | When objects are present that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology.                                   |
| 11.5.2.8 Label relationships             | Supports          | When a screen contains an element that acts as a label for another element or has an element that is labeled by another element, each labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. |
| 11.5.2.9 Parent-child relationships      | Supports          | When a screen contains elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology.  |
| 11.5.2.10 Text                           | Supports          | All text, text attributes (such as whether text is static or editable), and text boundaries (such as when text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.                    |
| 11.5.2.11 List of available actions      | Supports          | When one or more actions may be performed on an element, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology.  |
| 11.5.2.12 Execution of available actions | Supports          | For all the elements in the axe for Designers plugin on which one or more actions may be performed, all of those actions are available programmatically, so that each action can be performed using assistive technology.                                  |

| Criteria   | Conformance Level                   | Remarks and Explanations  |
|--|-------------------------------------|---|
| 11.5.2.13 Tracking of focus and selection attributes     | Supports                            | On all screens, the position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology.  |
| 11.5.2.14 Modification of focus and selection attributes | Supports (Not Applicable)           | The axe for Designers plugin does not allow modification of the focus indicator, text insertion point, or text selector indicator.  |
| 11.5.2.15 Change notification                            | Partially Supports                  | In most cases, status messages and change notifications relevant to user interactions are available to, and presented by, assistive technology.  Exceptions are noted in:  4.1.3 Status Messages  |
| 11.5.2.16 Modifications of states and properties         | Supports                            | When objects that allow the user to set their respective properties and/or state are present, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology. |
| 11.5.2.17 Modifications of values and text               | Supports                            | When an object is present that allows the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology.                                |
| 11.6 Documented accessibility usage                      | Heading cell – no response required | Heading cell – no response required   |
| 11.6.1 User control of accessibility features            | Not Applicable                      | The axe for Designers plugin is not platform software, so this requirement does not apply.  |
| 11.6.2 No disruption of accessibility features           | Supports                            | The axe for Designers plugin does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.  |

| Criteria  | Conformance Level                   | Remarks and Explanations  |
|---|-------------------------------------|---|
| 11.7 User preferences   | Supports                            | The axe for Designers plugin allows users to set or modify color, contrast, font type and size, and focus cursor. |
| 11.8 Authoring tools  | Heading cell – no response required | Heading cell – no response required   |
| 11.8.1 Content technology   | Heading cell – no response required | Heading cell – no response required   |
| 11.8.2 Accessible content creation                                  | Not Applicable                      | The axe for Designers plugin is not an authoring tool.  |
| 11.8.3 Preservation of accessibility information in transformations | Not Applicable                      | The axe for Designers plugin is not an authoring tool.  |
| 11.8.4 Repair assistance  | Not Applicable                      | The axe for Designers plugin is not an authoring tool.  |
| 11.8.5 Templates  | Not Applicable                      | The axe for Designers plugin is not an authoring tool.  |

# **Chapter 12: Documentation and Support Services**

Notes:

| Criteria  | Conformance Level                   | Remarks and Explanations   |
|---|-------------------------------------|--|
| 12.1 Product documentation                      | Heading cell – no response required | Heading cell – no response required  |
| 12.1.1 Accessibility and compatibility features | Not Applicable                      | Documentation is provided for the axe for Designers plugin; however, as a plugin that runs in a web environment, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology. |

| Criteria   | Conformance Level                   | Remarks and Explanations   |
|--|-------------------------------------|--|
| 12.1.2 Accessible documentation                                | Partially Supports                  | Most documentation for the axe for Designers plugin is available in at least one digital format that conforms to WCAG 2.1, so the documentation and the information it contains are accessible to people with disabilities. Exceptions include:  • An HTML list element contains content that is visually presented as a part of the list, but the content's HTML coding does not include it programmatically in that list, so the structure of the list is not correctly conveyed to people who are blind and/or use a screen reader or other assistive technology. This occurs on the "How to Use" page in the axe for Designers portal. |
| 12.2 Support Services  | Heading cell – no response required | Heading cell – no response required  |
| 12.2.2 Information on accessibility and compatibility features | Supports                            | Support services provide information on the axe for Designers plugin's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.  |
| 12.2.3 Effective communication                                 | Supports                            | Support services for the axe for Designers plugin provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.   |

| Criteria                        | Conformance Level  | Remarks and Explanations                      |
|---------------------------------|--------------------|---|
| 12.2.4 Accessible documentation | Partially Supports | Most documentation provided by support        |
|                                 |                    | services is available in at least one digital |
|                                 |                    | format that conforms to WCAG 2.1, so          |
|                                 |                    | the documentation and the information it      |
|                                 |                    | contains are accessible to people with        |
|                                 |                    | disabilities. Exceptions include:             |
|                                 |                    | An HTML list element contains                 |
|                                 |                    | content that is visually presented            |
|                                 |                    | as a part of the list, but the                |
|                                 |                    | content's HTML coding does not                |
|                                 |                    | include it programmatically in that           |
|                                 |                    | list, so the structure of the list is         |
|                                 |                    | not correctly conveyed to people              |
|                                 |                    | who are blind and/or use a screen             |
|                                 |                    | reader or other assistive                     |
|                                 |                    | technology. This occurs on the                |
|                                 |                    | "How to Use" page in the axe for              |
|                                 |                    | Designers portal.                             |

### **Chapter 13: ICT Providing Relay or Emergency Service Access**

Notes: The ICT covered by this report does not have any functionality that supports two-way communication, including the provision of relay services or access to emergency services. As such, the requirements of this chapter do not apply.

## **Legal Disclaimer (Company)**

Include your company legal disclaimer here, if needed.