



# Deque Systems Inc. Accessibility Conformance Report International Edition

(Based on VPAT<sup>®</sup> Version 2.5)

## Name of Product/Version:

axe for Designers Web Portal

## Report Date:

November 8, 2024

## Product Description:

The axe for Designers Web Portal is a companion product for the axe for Designers plug-in for Figma. When a scan performed with the plug-in is saved, its results can be viewed in the portal. The portal provides a dashboard to view the results of all scans performed with the plug-in, and it allows a user to manage their scans and create and export reports.

## Contact Information:

Deque Systems  
[info@deque.com](mailto:info@deque.com)

## Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation performed between March and May 2024.

## Evaluation Methods Used:

A combination of automated and manual testing techniques was employed for the accessibility assessment.

- Manual assessment was performed using Chrome v. 129.0.6668.71 on Windows 11 and included exclusive use of the keyboard.
- Automated tools used included axe Auditor and the axe DevTools browser extension using axe-core version 4.8.2.
- Assistive technologies employed included NVDA v.2024.2.

## Scope of Evaluation

The following pages were evaluated as part of the assessment on which this report is based:

- Login
- Forgot Password
- Create an Account
- Auto Scans
- Report – Issue Details
- Annotations
- Cover Report
- Documentation – How to Use
- Documentation – Product Information
- Use Cases – Test a text node for color contrast issue
- Use Cases – Test a design for all color contrast issues
- Use Cases – Test a design for all touch target issues
- Use Cases – Pass designer intent to developer
- Use Cases – Pass designer intent to developer for form controls in just one click
- Beta Program
- Terms of Use
- Privacy Policy
- Focus Order
- Use Case

In addition to the pages listed above, the following components that appear on multiple pages were tested as part of the assessment:

- Header

- Footer
- Left Navigation

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.2</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	(Yes)
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)</a> AND <a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	(Yes)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG Level AAA criteria.

# WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.2 Conformance Requirements](#).

## Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<a href="#">1.1.1 Non-text Content</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"><li>• 9.1.1.1 (Web)</li><li>• 10.1.1.1 (Non-web document)</li><li>• 11.1.1.1.1 (Open Functionality Software)</li><li>• 11.1.1.1.2 (Closed Functionality Software)</li><li>• 11.8.2 (Authoring Tool)</li><li>• 12.1.2 (Product Docs)</li><li>• 12.2.4 (Support Docs)</li></ul> Revised Section 508 <ul style="list-style-type: none"><li>• 501 (Web)(Software)</li><li>• 504.2 (Authoring Tool)</li><li>• 602.3 (Support Docs)</li></ul>	Web: Supports	Web: Informative non-text content (such as an image) has a text alternative that conveys the information presented by that content.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.1 (Web)</li> <li>• 10.1.2.1 (Non-web document)</li> <li>• 11.1.2.1.1 (Open Functionality Software)</li> <li>• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports (Not Applicable)	Web: Prerecorded audio-only and/or video-only files are not present in the axe for Designers Web Portal.
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports (Not Applicable)	Web: Prerecorded videos are not present in the axe for Designers Web Portal.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.3 (Web)</li> <li>• 10.1.2.3 (Non-web document)</li> <li>• 11.1.2.3.1 (Open Functionality Software)</li> <li>• 11.1.2.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports (Not Applicable)	Web: Prerecorded videos are not present in the axe for Designers Web Portal, so audio description is not required.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.3.1 Info and Relationships</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> <li>• 11.1.3.1.1 (Open Functionality Software)</li> <li>• 11.1.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: Most information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. The following exceptions exist:</p> <ul style="list-style-type: none"> <li>• A heading level is out of order, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following pages: Cover Report and Privacy policy.</li> <li>• Content that is visually presented as a list is not properly marked up as a list, so the structure of the list is not correctly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following page: Documentation – How to Use.</li> <li>• Text that visually functions as a heading is not marked up as a heading, so the structure of the content is not properly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following page: Terms of Use.</li> <li>• Content that does not visually function as a list is marked up as a list, so the structure of the page is misrepresented to people who are blind and/or use a screen reader or other assistive technology. This occurs on the following page: Login.</li> <li>• A nested list is not marked up properly, so the structure of the list is not correctly conveyed to assistive technologies and people who are blind and/or use a screen reader. This occurs on the following page: Use Cases – Test a text node for color contrast issue."</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.3.2 Meaningful Sequence</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The reading and navigation order is logical and intuitive.
<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.3 (Web)</li> <li>• 10.1.3.3 (Non-web document)</li> <li>• 11.1.3.3 (Open Functionality Software)</li> <li>• 11.1.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Instructions to operate and/or understand content do not rely on sensory characteristics of components such as shape, color, size, and visual location.



Criteria	Conformance Level	Remarks and Explanations
<p><b>1.4.1 Use of Color</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.1 (Web)</li> <li>• 10.1.4.1 (Non-web document)</li> <li>• 11.1.4.1 (Open Functionality Software)</li> <li>• 11.1.4.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: For most content, color is not used as the only method to convey information, indicate an action, prompt a response, or distinguish visual elements. The following exception exists:</p> <ul style="list-style-type: none"> <li>• Color is used as the only method to convey information, so that information will not be available to people who are colorblind and people who are blind and/or use a screen reader. This occurs on the following pages: Login; Create an Account; and Forgot Password.</li> </ul>
<p><b>1.4.2 Audio Control</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	<p>Web: The axe for Designers Web Portal does not contain audio content that plays automatically for more than 3 seconds.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.1.1 Keyboard</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Functionality is available using only the keyboard (unless that functionality cannot be accomplished in any known way using a keyboard), If shortcut keys and accesskeys are present, they do not conflict with existing browser and screen reader shortcuts, and functionality based on custom gestures is available when a screen reader is turned on.
<p><b>2.1.2 No Keyboard Trap</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Keyboard focus is never locked or trapped in a particular area, and the user is able to navigate to and from all navigable elements using only a keyboard.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>2.1.4 Character Key Shortcuts</u></b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.4 (Web)</li> <li>• 10.2.1.4 (Non-web document)</li> <li>• 11.2.1.4.1 (Open Functionality Software)</li> <li>• 11.2.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: If a single character key shortcut exists, then the single character key shortcut can be turned off or remapped, or it is only active when the relevant user interface component is in focus.
<p><b><u>2.2.1 Timing Adjustable</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.1 (Web)</li> <li>• 10.2.2.1 (Non-web document)</li> <li>• 11.2.2.1 (Open Functionality Software)</li> <li>• 11.2.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: If a time limit exists, the user is given options to turn off, adjust, or extend that time limit.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.2.2 Pause, Stop, Hide</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.2 (Web)</li> <li>• 10.2.2.2 (Non-web document)</li> <li>• 11.2.2.2 (Open Functionality Software)</li> <li>• 11.2.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: On most pages where moving, blinking, scrolling, or auto-updating information is present, that information can be paused, stopped, hidden, or otherwise controlled by the user. The following exception exists:</p> <ul style="list-style-type: none"> <li>• The user cannot pause, stop, or hide content that automatically moves, blinks, or scrolls, so people who cannot read text quickly, have attention deficit disorders or other cognitive disabilities, or use a screen reader may not be able to read or understand the content. This occurs on the following page: Use Case.</li> </ul>
<p><a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.3.1 (Web)</li> <li>• 10.2.3.1 (Non-web document)</li> <li>• 11.2.3.1 (Open Functionality Software)</li> <li>• 11.2.3.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports (Not Applicable)</p>	<p>Web: The axe for Designers Web Portal does not contain flashing content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.4.1 Bypass Blocks</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.1 (Web)</li> <li>10.2.4.1 (Non-web document) – Does not apply</li> <li>11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>11.2.4.1 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: A method is provided to skip navigation and other page elements that are repeated across web pages.
<p><b>2.4.2 Page Titled</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.2 (Web)</li> <li>10.2.4.2 (Non-web document)</li> <li>11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>11.2.4.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Each page in the axe for Designers Web Portal has a descriptive and informative title.

Criteria	Conformance Level	Remarks and Explanations
<p><b>2.4.3 Focus Order</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.3 (Web)</li> <li>• 10.2.4.3 (Non-web document)</li> <li>• 11.2.4.3 (Open Functionality Software)</li> <li>• 11.2.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Partially Supports</p>	<p>Web: The navigation order of most interactive elements (such as links, buttons, or form elements) is logical and preserves meaning and operability. The following exception exists:</p> <ul style="list-style-type: none"> <li>• Keyboard focus does not follow the visual focus order, or it does not move to the intended target, so people who use the keyboard to navigate content (including screen reader users) may become disoriented on the page. This occurs on the following page: Use Case.</li> </ul>
<p><b>2.4.4 Link Purpose (In Context)</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> <li>• 11.2.4.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports</p>	<p>Web: The purpose of each link can be determined from the link text alone or from the link text and its programmatic context.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>2.5.1 Pointer Gestures</u></b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: All functionality that can be operated with a pointer can be operated with single-point actions.
<p><b><u>2.5.2 Pointer Cancellation</u></b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	<p>Web: For functionality that can be operated using a single pointer, at least one of the following is true:</p> <ul style="list-style-type: none"> <li>• The action is not triggered on the down event.</li> <li>• The action triggers on the up event, and a mechanism is available to abort the function before completion or to undo the function after completion.</li> <li>• The up-event reverses any outcome of the preceding down-event.</li> <li>• Completing the function on the down-event is essential.</li> </ul>
<p><b><u>2.5.3 Label in Name</u></b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3.1 (Open Functionality Software)</li> <li>• 11.2.5.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: For most user interface components that include visible text labels, the accessible name matches (or includes) the visible text in the label. The following exception exists:</p> <ul style="list-style-type: none"> <li>• The accessible name of an interactive element (such as a link, button, or form input) does not contain the visible label, so people who use speech input to navigate and operate content will not be able to access the element. This occurs on the Report – Issue Details and In the Header component that appears on most pages.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>2.5.4 Motion Actuation</u></b> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Functionality that can be triggered by device motion or user motion detected by a device can be disabled, and the functionality can be operated without using motion.
<p><b><u>3.1.1 Language of Page</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The language of each page in the axe for Designers Web Portal is correct and can be determined programmatically.



Criteria	Conformance Level	Remarks and Explanations
<b>3.2.1 On Focus</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.2.1 (Web)</li> <li>10.3.2.1 (Non-web document)</li> <li>11.3.2.1 (Open Functionality Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Support	Web: When an element receives focus, a change in context (such as a substantial change to the page, the spawning of a pop-up window, or a change in focus) that may disorient the user does not occur.
<b>3.2.2 On Input</b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	Web: When a user inputs information or interacts with a control, it does not result in a substantial change to the page that could disorient the user unless the user is informed about the change ahead of time.
<b>3.2.6 Consistent Help</b> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Web: Supports	Web: On web pages that contain help features (including human or automated contact options or self-help options), those features occur in the same order relative to other page content unless the user changes that order.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>3.3.1 Error Identification</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.1 (Web)</li> <li>• 10.3.3.1 (Non-web document)</li> <li>• 11.3.3.1.1 (Open Functionality Software)</li> <li>• 11.3.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: For form controls where an input error is automatically detected, a text message or alert is provided that identifies the field/control where the error was detected and describes the error.
<p><b><u>3.3.2 Labels or Instructions</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: For form controls/input fields requiring user input, labels, instructions, and/or error messages are provided to identify the controls/input fields in the form so that users know what input data is expected.
<p><b><u>3.3.7 Redundant Entry</u></b> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: If information previously entered by, or provided to, the user is required to be entered again in the same process, that information is either automatically populated or available for the user to select unless the previously entered information is no longer valid or re-entering the information is essential or required to ensure security.

Criteria	Conformance Level	Remarks and Explanations
<p><b>4.1.1 Parsing</b> (Level A)</p> <p>Also applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer “Supports”</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.4.1.1 (Web)</li> <li>10.4.1.1 (Non-web document)</li> <li>11.4.1.1.1 (Open Functionality Software)</li> <li>11.4.1.1.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Supports	<p>Web: For the WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <a href="#">WCAG 2.0 Editorial Errata</a> and the <a href="#">WCAG 2.1 Editorial Errata</a>. This criterion was removed from WCAG 2.2.</p>
<p><b>4.1.2 Name, Role, Value</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.4.1.2 (Web)</li> <li>10.4.1.2 (Non-web document)</li> <li>11.4.1.2.1 (Open Functionality Software)</li> <li>11.4.1.2.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: The name, role, state, and value of most user interface components can be programmatically determined. The following exception exists:</p> <ul style="list-style-type: none"> <li>An element does not have an attribute in its HTML code that will provide its programmatic role to assistive technology or the role assigned is not correct (like assigning a button the role of ""checkbox""), so people who are blind and/or use a screen reader or other assistive technology may not be able to understand the name, purpose, or content of the element or how to interact with it. This occurs on the following page: Use Case.</li> </ul>

**Table 2: Success Criteria, Level AA**

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.4 Captions (Live)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.4 (Web)</li> <li>• 10.1.2.4 (Non-web document)</li> <li>• 11.1.2.4 (Open Functionality Software)</li> <li>• 11.1.2.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports (Not Applicable)</p>	<p>Web: Live multimedia files with audio are not present in the axe for Designers Web Portal, so synchronized captions are not required.</p>
<p><b><u>1.2.5 Audio Description (Prerecorded)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.5 (Web)</li> <li>• 10.1.2.5 (Non-web document)</li> <li>• 11.1.2.5 (Open Functionality Software)</li> <li>• 11.1.2.5 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p>Web: Supports (Not Applicable)</p>	<p>Web: Prerecorded multimedia files are not present in the axe for Designers Web Portal, so audio descriptions are not required.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.3.4 Orientation</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.4 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.4 (Open Functionality Software)</li> <li>11.1.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: Orientation of the content in the axe for Designers Web Portal is not locked to either landscape or portrait unless a specific orientation is essential for the functionality.
<p><b>1.3.5 Identify Input Purpose</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.5 (Web)</li> <li>10.1.3.5 (Non-web document)</li> <li>11.1.3.5.1 (Open Functionality Software)</li> <li>11.1.3.5.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	Web: The purpose for each input field in the axe for Designers Web Portal that collects an individual's personal data is programmatically defined based on the WCAG list of Input Purposes for User Interface Components.
<p><b>1.4.3 Contrast (Minimum)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.3 (Web)</li> <li>10.1.4.3 (Non-web document)</li> <li>11.1.4.3 (Open Functionality Software)</li> <li>11.1.4.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: Most text and images of regular text have the required color contrast ratio with their backgrounds. The following exception exists:</p> <ul style="list-style-type: none"> <li>Link or button text lacks 4.5:1 contrast ratio on hover or focus. This occurs on the following pages: Login; Cover report; Create an Account; Forgot Password; and the Header component found on most pages.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.4.4 Resize text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.4 (Web)</li> <li>• 10.1.4.4 (Non-web document)</li> <li>• 11.1.4.4.1 (Open Functionality Software)</li> <li>• 11.1.4.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: Most content is readable and functional when browser zoom is set to 200% of its initial size. The following exception exists:</p> <ul style="list-style-type: none"> <li>• Content is lost, clipped, or obscured when the page is zoomed to 200%, so people who have low vision and need to enlarge text to read it may not have access to that content. This occurs on the following page: Login.</li> </ul>
<p><b>1.4.5 Images of Text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.5 (Web)</li> <li>• 10.1.4.5 (Non-web document)</li> <li>• 11.1.4.5.1 (Open Functionality Software)</li> <li>• 11.1.4.5.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	<p>Web: When content can be presented visually using only text, an image of text is not used to present that text.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.10 Reflow</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.10 (Web)</li> <li>• 10.1.4.10 (Non-web document)</li> <li>• 11.1.4.10 (Open Functionality Software)</li> <li>• 11.1.4.10 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: The content of most pages is viewable without scrolling horizontally when the viewport is set to 320 CSS pixels wide. The following exceptions exist:</p> <ul style="list-style-type: none"> <li>• When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content does not fit horizontally, so it cannot be viewed without scrolling. People with low vision who increase the size of text and other content using the browser zoom may have difficulty accessing the content that can only be seen by horizontal scrolling. This occurs on the following pages: Annotations; Focus Order; Auto Scans; and Report- Issue details.</li> <li>• When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content overlaps and cannot be seen or understood, so the overlapping content is not available to people with low vision who increase the size of text and other content using the browser zoom. This occurs on the Privacy Policy page and the Header component found on most pages.</li> <li>• When the page is adjusted to an equivalent width of 320 pixels and content reflows to fit within the viewport, some content or functionality becomes unavailable, so people with low vision who increase the size of text and other content using the browser zoom will not be able to access all of the page's content and/or functionality. This occurs on the following pages: Login and Report- Issue details.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.11 Non-text Contrast</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.11 (Web)</li> <li>• 10.1.4.11 (Non-web document)</li> <li>• 11.1.4.11 (Open Functionality Software)</li> <li>• 11.1.4.11 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: Most of the boundaries and indicators of the visual state(s) of each active user component and any graphics required to understand content have a 3:1 color contrast ratio with adjacent color(s) or their background. The following exceptions exist:</p> <ul style="list-style-type: none"> <li>• An icon (or part of the icon required to understand its content) does not have a 3:1 color contrast ratio with the background or adjacent colors, so people who are colorblind or have low vision may not be able understand the information presented by the icon. This occurs on the following pages: Terms of Use and Privacy Policy.</li> <li>• The indicator for the state of an interactive element (like a checkbox or radio button) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving the state of the interactive element. This occurs on the following page: Auto Scans.</li> <li>• The focus indicator of an interactive element (like a button or input field) does not have a 3:1 color contrast ratio with the background, so people who are colorblind or have low vision may have difficulty perceiving when the interactive element is receiving focus. This occurs on the Header component found on most pages.</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.4.12 Text Spacing</u></b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Partially Supports	<p>Web: For most content, the spacing between letters, words, lines of text and paragraphs can be adjusted with no loss of content or functionality. The following exception exists:</p> <ul style="list-style-type: none"> <li>• When text spacing is adjusted to help people with vision, reading and cognitive disabilities, some content cannot be seen because it is cut off. This occurs on the following page: Use Case.</li> </ul>
<p><b><u>1.4.13 Content on Hover or Focus</u></b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	<p>Web: When additional content is triggered by pointer hover or keyboard focus, that additional content can be dismissed and hovered over, and the content persists until the user dismisses it.</p>
<p><b><u>2.4.5 Multiple Ways</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.5 (Web)</li> <li>• 10.2.4.5 (Non-web document) – Does not apply</li> <li>• 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.5 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	<p>Web: Multiple ways are available to find other pages on the axe for Designers Web Portal.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>2.4.6 Headings and Labels</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.6 (Web)</li> <li>• 10.2.4.6 (Non-web document)</li> <li>• 11.2.4.6 (Open Functionality Software)</li> <li>• 11.2.4.6 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: Headings and labels for form and interactive controls in the axe for Designers Web Portal are informative.
<p><b><u>2.4.7 Focus Visible</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.7 (Web)</li> <li>• 10.2.4.7 (Non-web document)</li> <li>• 11.2.4.7 (Open Functionality Software)</li> <li>• 11.2.4.7 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: It is visually apparent which page element is currently receiving keyboard focus.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">2.4.11 Focus Not Obscured (Minimum)</a> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: When most user interface components receive keyboard focus, each component is not entirely hidden due to author-created content. The following exception exists:</p> <ul style="list-style-type: none"> <li>• A focused element is completely covered by other author-created content, which may cause people who use the keyboard to navigate content to become disoriented. This occurs on the following page: Report- Issue Details.</li> </ul>
<p><a href="#">2.5.7 Dragging Movements</a> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Web: Supports</p>	<p>Web: All functionality that uses a dragging movement can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.</p>
<p><a href="#">2.5.8 Target Size (Minimum)</a> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Web: Partially Supports</p>	<p>Web: The size of the target for most clickable controls is at least 24 by 24 CSS pixels, except where the target size is determined by the user agent; there is a different control with equivalent functionality; the target is inline with text; the presentation of the target is essential to the function or otherwise exempted under the rule; or each control is spaced such that a 24-pixel circle placed around the bounding box of the control will not intersect any similar circle for another control. The following exception exists:</p> <ul style="list-style-type: none"> <li>• A target's hit area does not meet minimum 24x24 pixel size or spacing. making it difficult for users with hand tremors and those who have difficulty with fine motor movement to activate them accurately. This occurs on the following pages: Login; Report- Issue Details; and Create an account.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<p><b>3.1.2 Language of Parts</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.2 (Web)</li> <li>• 10.3.1.2 (Non-web document)</li> <li>• 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>• 11.3.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: The language of each section of content that is different from the default language of the page in the axe for Designers Web Portal is correctly identified and can be determined programmatically.
<p><b>3.2.3 Consistent Navigation</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> <li>• 10.3.2.3 (Non-web document) – Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: Navigation patterns that are repeated on pages in the axe for Designers Web Portal are presented in the same relative order each time they appear and do not change order when navigating through the site.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>3.2.4 Consistent Identification</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.4 (Web)</li> <li>• 10.3.2.4 (Non-web document) – Does not apply</li> <li>• 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.4 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Web: Supports	Web: Labels, names, and text alternatives for content that have the same functionality across multiple pages in the axe for Designers Web Portal are consistently identified.
<p><b><u>3.3.3 Error Suggestion</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.3 (Web)</li> <li>• 10.3.3.3 (Non-web document)</li> <li>• 11.3.3.3 (Open Functionality Software)</li> <li>• 11.3.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Supports	Web: If input errors are automatically detected, suggestions are provided in text for correcting the input in a timely and accessible manner before the data is submitted to the server.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>3.3.4 Error Prevention (Legal, Financial, Data)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.4 (Web)</li> <li>• 10.3.3.4 (Non-web document)</li> <li>• 11.3.3.4 (Open Functionality Software)</li> <li>• 11.3.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Web: Partially Supports	<p>Web: In most cases when the user can change or delete legal transactions, financial transactions, student exam responses, or data transactions that are unrecoverable or unintentionally modify or delete data, the changes and/or deletions are reversible, verifiable, or confirmable. The following exception exists:</p> <ul style="list-style-type: none"> <li>• The user cannot confirm or reverse a deletion of a legal, financial, or data transaction, so all users are denied the opportunity to prevent the transaction from being permanently deleted. This occurs on the following page: Annotations.</li> </ul>
<p><b><u>3.3.8 Accessible Authentication (Minimum)</u></b> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Web: Supports	<p>Web: A cognitive function test (such as remembering a password or solving a puzzle) is not required for any step in an authentication process unless either another method is available that does not rely on a cognitive function test; help is available to assist the user in completing the test; or the test is to recognize objects or identify non-text content the user provided to the Portal.</p>
<p><b><u>4.1.3 Status Messages</u></b> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.3 (Web)</li> <li>• 10.4.1.3 (Non-web document)</li> <li>• 11.4.1.3 (Open Functionality Software)</li> <li>• 11.4.1.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Web: Supports	<p>Web: Status messages in the axe for Designers Web Portal can be programmatically determined and presented by assistive technologies without receiving focus.</p>

**Table 3: Success Criteria, Level AAA**

Notes: Not Applicable. The axe for Designers Web Portal was not assessed for WCAG 2.2 Level AAA conformance.

# Revised Section 508 Report

Notes:

## Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Most functionality in the axe for Designers Web Portal is usable without vision. Exceptions are noted in: <ul style="list-style-type: none"><li>• 1.3.1 Info and Relationships</li><li>• 1.4.1 Use of Color</li><li>• 2.4.3 Focus Order</li><li>• 3.3.4 Error Prevention (Legal, Financial, Data)</li><li>• 4.1.2 Name, Role, Value</li></ul>
302.2 With Limited Vision	Partially Supports	Web: Most functionality in the axe for Designers Web Portal is usable with limited vision. Exceptions are noted in: <ul style="list-style-type: none"><li>• 1.3.1 Info and Relationships</li><li>• 1.4.1 Use of Color</li><li>• 1.4.3 Contrast (Minimum)</li><li>• 1.4.4 Resize Text</li><li>• 2.4.3 Focus Order</li><li>• 3.3.4 Error Prevention (Legal, Financial, Data)</li><li>• 4.1.2 Name, Role, Value</li></ul>
302.3 Without Perception of Color	Partially Supports	Web: Most functionality in the axe for Designers Web Portal is usable without perception of color. Exceptions are noted in: <ul style="list-style-type: none"><li>• 1.4.1 Use of Color</li><li>• 1.4.3 Contrast (Minimum)</li></ul>
302.4 Without Hearing	Supports	All functionality in the axe for Designers Web Portal is usable without hearing.



Criteria	Conformance Level	Remarks and Explanations
302.5 With Limited Hearing	Supports	All functionality in the axe for Designers Web Portal is usable with limited hearing.
302.6 Without Speech	Not Applicable	The axe for Designers Web Portal does not require the use of speech.
302.7 With Limited Manipulation	Partially Supports	Most functionality in the axe for Designers Web Portal is usable with limited manipulation and does not require fine motor control or simultaneous manual operations. Exceptions are noted in: <ul style="list-style-type: none"> <li>• 2.4.3 Focus Order</li> <li>• 4.1.2 Name, Role, Value</li> </ul>
302.8 With Limited Reach and Strength	Supports	All functionality in the axe for Designers Web Portal is usable with limited reach and strength.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Most functionality in the axe for Designers Web Portal is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>• 1.3.1 Info and Relationships</li> <li>• 1.4.1 Use of Color</li> <li>• 2.2.2 Pause, Stop, Hide</li> <li>• 2.4.3 Focus Order</li> <li>• 3.3.4 Error Prevention (Legal, Financial, Data)</li> <li>• 4.1.2 Name, Role, Value</li> </ul>

## Chapter 4: [Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

## Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.2</a> section	See information in WCAG 2.2 section
<a href="#">502 Interoperability with Assistive Technology</a>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	The axe for Designers Web Portal is not platform software, so this requirement does not apply.
502.2.2 No Disruption of Accessibility Features	Supports	The axe for Designers Web Portal does not disrupt platform (browser and OS) features that are defined in the platform documentation as accessibility features.
<b>502.3 Accessibility Services</b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	The role, state(s), properties, boundary, name, and description of most objects can be programmatically determined, so those attributes can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>4.1.2 Name, Role, Value</li> </ul>
502.3.2 Modification of Object Information	Partially Supports	For most objects that allow the user to set their respective properties and/or state, the act of setting a property or state is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>4.1.2 Name, Role, Value</li> </ul>
502.3.3 Row, Column, and Headers	Supports	When a data table is present, all information in the data cells and the row and/or column headers associated with each data cell are available programmatically, so they can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.4 Values	Partially Supports	For most objects that have a current value or have a set or range of values associated with the object, the value(s) is available programmatically, so it can be perceived and conveyed by assistive technology. Exceptions include: <ul style="list-style-type: none"> <li>• 4.1.2 Name, Role, Value</li> </ul>
502.3.5 Modification of Values	Partially Supports	For most objects that allow the user to set or modify its value, the act of setting a value is available programmatically, so that it can be perceived and performed using assistive technology. Exceptions include: <ul style="list-style-type: none"> <li>• 4.1.2 Name, Role, Value</li> </ul>
502.3.6 Label Relationships	Partially Supports	For most elements that act as a label for another element and elements that are labeled by another element, the labeling relationship is programmatically determinable, so it can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>• 4.1.2 Name, Role, Value</li> </ul>
502.3.7 Hierarchical Relationships	Partially Supports	For most elements that have a parent-child relationship, those relationships are programmatically determinable, so they can be perceived by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>• 1.3.1 Info and Relationships</li> </ul>
502.3.8 Text	Supports	All text, text attributes (such as whether text is static or editable), and text boundaries (such as when text receives visual focus) are programmatically determinable, so they can be perceived and conveyed by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
502.3.9 Modification of Text	Supports	When text can be set by the user (such as by typing in an input field), the act of adding or modifying text is available programmatically, so that it can be perceived and performed using assistive technology.
502.3.10 List of Actions	Partially Supports	For most of the elements on which one or more actions may be performed, all of those actions are programmatically determinable, so that each action can be perceived and conveyed by assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>4.1.2 Name, Role, Value</li> </ul>
502.3.11 Actions on Objects	Supports	When one or more actions may be performed on an element, all of those actions are available programmatically, so that each action can be performed using assistive technology.
502.3.12 Focus Cursor	Supports	The position and content of the focus indicator, text insertion point, and/or text selector are programmatically determinable, so that focus position and content can be perceived and conveyed by assistive technology.
502.3.13 Modification of Focus Cursor	Not Applicable	The axe for Designers Web Portal does not allow modification of the focus indicator, text insertion point, or text selector indicator.
502.3.14 Event Notification	Supports	Status messages in the axe for Designers Web Portal relevant to user interactions are available to, and presented by, assistive technology.
502.4 Platform Accessibility Features	Not Applicable	The axe for Designers Web Portal is not platform software, so this requirement does not apply.
<a href="#">503 Applications</a>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
503.2 User Preferences	Supports	The axe for Designers Web Portal allows users to set or modify color, contrast, font type and size, and focus cursor.
503.3 Alternative User Interfaces	Not Applicable	The axe for Designers Web Portal does not offer an alternative user interface.
<b>503.4 User Controls for Captions and Audio Description</b>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	The axe for Designers Web Portal does not contain media with an audio component that has closed captions.
503.4.2 Audio Description Controls	Not Applicable	The axe for Designers Web Portal does not contain media with a video component that offers audio descriptions.
<b>504 Authoring Tools</b>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	Not Applicable	The axe for Designers Web Portal is not an authoring tool.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	The axe for Designers Web Portal is not an authoring tool.
504.2.2 PDF Export	Not Applicable	The axe for Designers Web Portal is not an authoring tool.
504.3 Prompts	Not Applicable	The axe for Designers Web Portal is not an authoring tool.
504.4 Templates	Not Applicable	The axe for Designers Web Portal is not an authoring tool.

## Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>601.1 Scope</b>	Heading cell – no response required	Heading cell – no response required
<b><a href="#">602 Support Documentation</a></b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features	Supports	Documentation is provided for the axe for Designers Web Portal that includes information on its accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
602.3 Electronic Support Documentation	See <a href="#">WCAG 2.2</a> section	See information in WCAG 2.2 section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	Documentation for the website or application is not provided in non-electronic formats. Alternative accessible formats are available, so the documentation and the information it contains are accessible to people with disabilities.
<b><a href="#">603 Support Services</a></b>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	Support services provide information on the axe for Designers Web Portal accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.
603.3 Accommodation of Communication Needs	Supports	Support services for the axe for Designers Web Portal provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.

# EN 301 549 Report

Notes:

## Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Most functionality is usable without vision. Exceptions are noted in: <ul style="list-style-type: none"><li>• 1.3.1 Info and Relationships</li><li>• 1.4.1 Use of Color</li><li>• 2.4.3 Focus Order</li><li>• 3.3.4 Error Prevention (Legal, Financial, Data)</li><li>• 4.1.2 Name, Role, Value</li></ul>
4.2.2 Usage with limited vision	Partially Supports	Most functionality is usable with limited vision. Exceptions are noted in: <ul style="list-style-type: none"><li>• 1.3.1 Info and Relationships</li><li>• 1.4.1 Use of Color</li><li>• 1.4.3 Contrast (Minimum)</li><li>• 1.4.4 Resize Text</li><li>• 1.4.10 Reflow</li><li>• 1.4.11 Non-Text Contrast</li><li>• 1.4.12 Text Spacing</li><li>• 2.4.3 Focus Order</li><li>• 3.3.4 Error Prevention (Legal, Financial, Data)</li><li>• 4.1.2 Name, Role, Value</li></ul>
4.2.3 Usage without perception of colour	Partially Supports	Most functionality is usable without perception of color. Exceptions are noted in: <ul style="list-style-type: none"><li>• 1.4.1 Use of Color</li><li>• 1.4.3 Contrast (Minimum)</li><li>• 1.4.11 Non-Text Contrast</li></ul>
4.2.4 Usage without hearing	Supports (Not Applicable)	All functionality is usable without hearing.

Criteria	Conformance Level	Remarks and Explanations
4.2.5 Usage with limited hearing	Supports (Not Applicable)	All functionality is usable with limited hearing.
4.2.6 Usage with no or limited vocal capability	Supports (Not Applicable)	The axe for Designers Web Portal does not require the use of speech or other vocal output.
4.2.7 Usage with limited manipulation or strength	Partially Supports	Most functionality is usable by people with limited manipulation and does not require manipulation, simultaneous action, or hand strength. Exceptions are noted in: <ul style="list-style-type: none"> <li>• 2.4.3 Focus Order</li> <li>• 2.5.3 Label in Name</li> <li>• 4.1.2 Name, Role, Value</li> </ul>
4.2.8 Usage with limited reach	Supports	All functionality is usable by people with limited reach.
4.2.9 Minimize photosensitive seizure triggers	Supports (Not Applicable)	The axe for Designers Web Portal does not contain flashing content or media.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	Most functionality is usable by people with limited language, cognitive, and learning abilities. People with cognitive disabilities have varying needs for features that allow them to adapt content and work with assistive technology. Exceptions are noted in: <ul style="list-style-type: none"> <li>• 1.3.1 Info and Relationships</li> <li>• 1.4.1 Use of Color</li> <li>• 1.4.10 Reflow</li> <li>• 1.4.12 Text Spacing</li> <li>• 2.2.2 Pause, Stop, Hide</li> <li>• 2.4.3 Focus Order</li> <li>• 2.5.3 Label in Name</li> <li>• 3.3.4 Error Prevention (Legal, Financial, Data)</li> <li>• 4.1.2 Name, Role, Value</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
4.2.11 Privacy	Supports (Not Applicable)	The axe for Designers Web Portal does not provide any specific accessibility features that impact the user's privacy.

## Chapter [5: Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2 General</b>	Heading cell – no response required	Heading cell – no response required
<b>5.1.2.1 Closed functionality</b>	See 5.2 through 13	See information in 5.2 through 13
<b>5.1.2.2 Assistive technology</b>	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
<b>5.1.3 Non-visual access</b>	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality and allows the use of an outside or add-on screen reader to provide audio output of visual information.
5.1.3.2 Auditory output delivery including speech	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality and allows auditory output (including speech) to be conveyed by outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.3 Auditory output correlation	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so audio information is conveyed using outside or add-on software and/or hardware.
5.1.3.4 Speech output user control	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.5 Speech output automatic interruption	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality and allows auditory output (including speech) to be conveyed by outside software (e.g., screen readers) outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.6 Speech output for non-text content	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality and allows auditory output (including the announcement of text alternatives for images) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.7 Speech output for video information	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, and pre-recorded video content is not needed to enable the use of closed functions. Also, the product allows auditory output (including audio description of visual information in a video) to be conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.8 Masked entry	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so any auditory output of masked characters is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.9 Private access to personal data	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so any auditory output of information considered to be private is controlled and conveyed by outside software (e.g., screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.10 Non-interfering audio output	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so the initiation of any auditory output that may interfere with other audio is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.11 Private listening volume	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.12 Speaker volume	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).

Criteria	Conformance Level	Remarks and Explanations
5.1.3.13 Volume reset	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so control of the volume of auditory output is controlled by outside software (e.g., browsers, operating systems, or screen readers) and outside mechanisms (including speakers, handsets, and earbuds).
5.1.3.14 Spoken languages	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so the assignment of a particular language to speech output is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.15 Non-visual error identification	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so speech output to identify and/or describe an error is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.3.16 Receipts, tickets, and transactional outputs	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, so speech output to provide information necessary to complete or verify a transaction is controlled by outside software (e.g., browsers, operating systems, or screen readers).
5.1.4 Functionality closed to text enlargement	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, and all text and images of text can be enlarged by the operating system or browser.
5.1.5 Visual output for auditory information	Supports (Not Applicable)	The axe for Designers Web Portal does not have closed functionality, and auditory information is not needed to enable the use of closed functions.
<b>5.1.6 Operation without keyboard interface</b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
<b>5.1.6.1 Closed functionality</b>	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Supports (Not Applicable)	The axe for Designers Web Portal is not closed to keyboards or keyboard interfaces.
5.1.7 Access without speech	Supports (Not Applicable)	The axe for Designers Web Portal does not require speech to enable the use of any functionality.
5.2 Activation of accessibility features	Supports	Any documented accessibility feature that meets a specific need can be activated without relying on any motor or sensory input related to that need.
5.3 Biometrics	Supports (Not Applicable)	The axe for Designers Web Portal does not use biological characteristics for identification or to control any functionality.
5.4 Preservation of accessibility information during conversion	Supports (Not Applicable)	The axe for Designers Web Portal does not have functionality that converts information or communication from one format to another.
<b>5.5 Operable parts</b>	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Supports (Not Applicable)	The axe for Designers Web Portal is a web application and has no physical parts.
5.5.2 Operable parts discernibility	Supports (Not Applicable)	The axe for Designers Web Portal is a web application and has no physical parts.
<b>5.6 Locking or toggle controls</b>	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Supports (Not Applicable)	The axe for Designers Web Portal has no physical locking or toggle controls.
5.6.2 Visual status	Supports (Not Applicable)	The axe for Designers Web Portal has no physical locking or toggle controls.
5.7 Key repeat	Supports (Not Applicable)	The axe for Designers Web Portal has no physical keyboard or keypad, so it has no key repeat function.

Criteria	Conformance Level	Remarks and Explanations
5.8 Double-strike key acceptance	Supports (Not Applicable)	The axe for Designers Web Portal has no physical keyboard or keypad, so it has no functionality related to accepting identical keystrokes that occur within a specific timeframe.
5.9 Simultaneous user actions	Supports (Not Applicable)	The axe for Designers Web Portal has no functionality requiring simultaneous actions (such as having to press multiple keys at the same time) with no alternative.

## Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: The ICT covered by this report does not have any functionality that supports two-way communication. As such, the requirements of this chapter do not apply.

## Chapter [7: ICT with Video Capabilities](#)

Notes: The ICT covered by this report does not have any functionality that supports video. As such, the requirements of this chapter do not apply.

## Chapter [8: Hardware](#)

Notes: The ICT covered by this report is not hardware. As such, the requirements of this chapter do not apply.

## Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Notes: The ICT covered by this report is a web application. As such, its accessibility requirements are covered in the [WCAG 2.2](#) section.

## Chapter [10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>10.0 General (informative)</b>	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See <a href="#">WCAG 2.2</a> section	See information in WCAG 2.2 section

Criteria	Conformance Level	Remarks and Explanations
10.5 Caption positioning	Not Applicable	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.
10.6 Audio description timing	Not Applicable	Any standalone documents that may be downloaded from the website do not contain video that has synchronized audio.

## Chapter [11: Software](#)

Notes: The ICT covered by this report is a web application, and it is not an authoring tool. As such, its accessibility requirements are covered in Chapter 9 and by reference the [WCAG 2.2](#) section. Thus, the requirements of this chapter do not apply.

## Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
<b>12.1 Product documentation</b>	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	Documentation is provided for the axe for Designers Web Portal; however, as a web application, it does not have accessibility features beyond those features offered by the web browser that facilitate accessibility or otherwise make it compatible with assistive technology.
12.1.2 Accessible documentation	See <a href="#">WCAG 2.2</a> section	See information in WCAG 2.2 section
<b>12.2 Support Services</b>	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Supports	Support services provide information on the axe for Designers Web Portal's accessibility features or on features that make it compatible with assistive technology, so people with disabilities will know these features exist and how to use them.

Criteria	Conformance Level	Remarks and Explanations
12.2.3 Effective communication	Supports	Support services for the axe for Designers Web Portal provide accommodations to support people with communication-related disabilities, so people with communication-related disabilities can access needed product support.
12.2.4 Accessible documentation	See <a href="#">WCAG 2.2</a> section	See information in WCAG 2.2 section

## Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: The ICT covered by this report does not have any functionality that supports two-way communication, including the provision of relay services or access to emergency services. As such, the requirements of this chapter do not apply.

### Legal Disclaimer (Company)

This document is provided 'AS IS' for informational purposes only and is accurate to the best of our knowledge as of the publication date listed on the first page. All product and company names mentioned herein may be trademarks or registered trademarks of their respective owners.